

45° II Angle CLIP top BLUMOTION Hinge

Product # 79B355180

DESCRIPTION

Integrated BLUMOTION

Precise movement, like clockwork. Integrated BLUMOTION is a technical masterpiece that fits into the smallest of spaces and provides your furniture doors with silent, effortless closing.

CLIP top BLUMOTION is designed to open and close at least 200000 times, with a compelling quality of motion, to last the lifetime of the furniture.

ADVANTAGES AND BENEFITS

- Innovative technology concentrated into the smallest space, with BLUMOTION integrated into the hinge cup.
- Silent, effortless closing action provides every door with inspiringly perfect motion.
- Effortless closing even for small doors; BLUMOTION can optionally be deactivated.
- Elegant design for a high-quality look, with compelling technology in a stylish body.

REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit




BLUM Mounting Plate

Product # 173L610180

Material: Steel

OR



BLUM Mounting Plate

Product # 175H710180

Material: Zinc

OR



BLUM Mounting Plates with Adjusting Cam

Product # 173H710180

TECHNICAL SPECIFICATIONS

Product #	79B355180
Use Type	Angle Cabinet
Cabinet Angle	+45°
Cabinet Type	Frameless
Door Position	Angled Overlay
Finish	Nickel
Cabinet Thickness	Max. 3/4 in*
Door Thickness	Max. 3/4 in*
Hinge Type	CLIP top BLUMOTION
Fixing Type	Screw-On
Milling Diameter	1 3/8 in*
Hinge Opening Angle	+110°
Closing Mechanism	Soft-Closing

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- Do not use a hammer to insert the hinge into the drill hole. - CLIP top BLUMOTION hinges should be operated within the temperature range of 18 °C and 28 °C to ensure optimal functioning. ** Other choices of plates available in the BLUM assembly plate section **

PRODUCT PHOTOS

