



Description

Surface puck with high lighting output.

Important features

- Designed for cabinet lighting purposes
- Edge-lite technology provides a soft uniform light with an ultra slim fit
- Magnetic faceplate
- Dimmable

Description	Number
Warm White, Black	37907024122090
Neutral White, Black	37907024124090
Warm White, Satin Nickel	37907024122185
Neutral White, Satin Nickel	37907024124185
Warm White, White Finish	37907024122030
Neutral White, White Finish	37907024124030



Applications

- Countertops
- Cabinets
- Bookcases
- Display cases
- Decorative lighting
- Wardrobes
- Cupboards
- Closets




Product Advantages

- Available in two CCTs
- Choice of three finishes
- Beam angle: 120°
- Uniform light distribution
- Easy surface mount installation



Important Information

- To be used only with a class 2 power supply
- Make sure the main power is OFF before starting installation or attempting any maintenance
- Read instructions before installing fixtures



Description	Number
Warm White, Black	37907024122090
Neutral White, Black	37907024124090
Warm White, Satin Nickel	37907024122185
Neutral White, Satin Nickel	37907024124185
Warm White, White Finish	37907024122030
Neutral White, White Finish	37907024124030



Included Products

- LED puck light with 6 in (152.4 mm) 22AWG cable with connector
- Magnetic faceplate
- 79 in (2006.4 mm) extension cable
- Mounting hardware



K-PAD without Switch (Receiver)

Wall dimmable power supplies *

DH2424	24 W 24 V
DH2436	36 W 24 V
DH2460	60 W 24 V
DH2496	96 W 24 V
DP2412	12 W 24 V
DP2424	24 W 24 V
DP2450	50 W 24 V

Dimmer compatible accessories

109D00101	Decora wall Dimmer
4253506	Slide dimmer


Plug-in power supplies

52406	6 W 24 V
62415	15 W 24 V
52430	30 W 24 V
52475	60 W 24V

Dimmer compatible accessories

152125601	Touch Me (60 W)
152126003	Capsens (60 W)
152127010	Call me (72 W)
12624905	FW dot dimmer (72 W)
31225	On/Off switch
12624601	Proximity sensor (30 W)

* Plug-in or Hardwire





Market and Product

The Slim LED square puck is a new addition to the 24 V line. Our group A 12 V system remains an integral part of our lighting line and there are no plans to discontinue it. Customers preferring the 12 V system can continue using this system.



What You Need to Know

- 24 V dc power supply required; works with prescribed dimmers
- Indoor use only



Product Launch Strategy

Product will be available in RIC, MIS, VAN, and CAL. If you require inventory in your warehouse, please request product opening with Supply Chain.