



Shown in brown but also available in aluminum finish

LOGO II : A well spaced out and convivial system

This versatile system allows to build one or many sections according to your needs and available space. Imagine that you have now an immediate view and access to each of your clothes and objects. The storage in your closet will never have been so convivial and pleasant.

The LOGO family gets bigger, here is the LOGO II system that can be used in all the rooms of your house!



Advantages

- Aluminum profile system with standards to hang wood shelf supports, closet rod and/or a cabinet.
- Profiles and supports are sold separately so you can personalise your configuration according to your needs.
- Available in 2 trendy finishes, aluminum or brown.
- This system gives you a well spaced area, so your things are well organized to give you an immediate view and total access to them.
- The profiles are sold in length of 2.5 meters (8 feet) and can be cut to size.
- At least 2 profiles are necessary to build a single basic section.
- Each profile includes the standard, leveler and wall fixing brackets
- Several supports available depending on your application:
 - wood shelf
 - glass shelf
 - small cabinets
 - closet rod

Important Information

Maximum weight capacity of 15kg (33 lbs) per pair of supports.

List of product codes

# product	Description	Color	Dimensions	Packaging
872050010	SET PROFILE LOGO II 2.5M	Aluminum	2.5 meters (8 feet)	Unit
872050060	SET PROFILE LOGO II 2.5M	Brown	2.5 meters (8 feet)	Unit
875220010	WOOD SHELF SUPPORT 220MM	Aluminum	220mm (8 11/16")	Pair
875220060	WOOD SHELF SUPPORT 220MM	Brown	220mm (8 11/16")	Pair
875232610	OVAL ROD SUPPORT	Aluminum		Pair
875232660	OVAL ROD SUPPORT	Brown		Pair
875224510	CAB/SHELF SUPPORT 450MM	Aluminum	450mm (17 ¾")	Pair
875224560	CAB/SHELF SUPPORT 450MM	Brown	450mm (17 ¾")	Pair
875420010	FIX.PLATE FOR CAB.BOTTOM	Aluminum		Pair
875420060	FIX.PLATE FOR CAB.BOTTOM	Brown		Pair
875300010	OVAL ROD 15X30MM 3M	Aluminum	3 Meters (10 feet)	Unit
875300060	OVAL ROD 15X30MM 3M	Brown	3 Meters (10 feet)	Unit
875153010	END CAP FOR ROD	Aluminum		Unit
875153060	END CAP FOR ROD	Brown		Unit
875242210	GLASS SHELF SUPPORT	Aluminum		Pair
875242260	GLASS SHELF SUPPORT	Brown		Pair
875263010	ANGULAR WALL FIX.BRACKET	Aluminum		Unit
875263060	ANGULAR WALL FIX.BRACKET	Brown		Unit

Technical Information
The set of frame # 875250010 or 875250060 includes :

- Aluminum profile of 2500 mm height (1 pc)
- Aluminum standard 2500mm for bracket fixing (1 pc)
- Plastic cover of 2500mm for clean finishing (2 pcs)
- Leveler for profile base (1 pc)
- Fixing plate for leveler (1 pc)
- Finishing plate for top of profile (1 pc)
- Wall fixing hardware (1 pc)
- Central joint for adjustment (1 pc)
- Once all those parts mounted together, you can start the fixing of shelves brackets, drawer brackets, closet rod, etc. according the configuration you want.

Max. height : 2500mm (98 ½")

Max. depth : 500mm (19 11/16")

Max. width between 2 profiles : 800mm (31 ½")

The bracket # **875263010** or **875263060** is always recommended to reinforce the whole structure when you install the wood shelves or small cabinets.

The screws for the wood shelves brackets # **875220010** or **875220060** are not included.

Possible configurations





NOTE : accessories are shown in aluminum finish, but are also available in brown finish. Shelves or cabinet Are not included and have to be done by the customer.

Wood shelf mounting:

Shelf depth: from 230 to 500mm (9" to 19 5/8")
 Shelf width: from 100 to 800mm (4" to 31 1/2")
 Shelf thickness: from 10 to 35mm (1/2" to 1 3/8")

The width will always depend on the configuration of the wall profiles you will use in your configuration, 800 mm (31 1/2") is the Maximum width recommended.





			
	220 mm (8 11/16")	450 mm (17 3/4")	
2 X 872050010 + OR 2 X 872050060 +	1 X 875220010 1 X 875220060	OR OR	1 X 875224510 + 1 X 875224560 +
			1 X 875263010 1 X 875263060

Glass shelf mounting:

Shelf depth: from 230 to 500mm (9" to 19 5/8")
 Shelf width: from 100 to 800mm (4" to 31 1/2")
 Shelf thickness: from 8 to 35mm (3/8" to 1 3/8")





The width will always depend on the configuration of the wall profiles you will use in your configuration, 800 mm (31 1/2") is the Maximum width recommended.



	
2 X 872050010 OR 2 X 872050060	1 X 875242210 1 X 875242260
+ +	

Closet rod mounting







						
2 X 872050010 OR 2 X 872050060	+ +	1 X 875232610 1 X 875232660	+ +	1 X 875300010 1 X 875300060	+ +	2 X 87153010 2 X 87153060

Drawer cabinet mounting:

Suggested height: 600mm (23 5/8") maximum
 Depth: 230 to 500mm (9" to 19 5/8")
 The width will always depend on the configuration of the wall profiles you will use in your configuration, 800 mm (31 1/2") is the maximum width recommended.



						
	450 mm (17 3/4")					
2 X 872050010 OR 2 X 872050060	+ +	1 X 875224510 1 X 875224560	+ +	1 X 875420010 1 X 875420060	+ +	1 X 875263010 1 X 875263060