



WASTE MANAGEMENT AND RECYCLING CENTERS

Manage your kitchen waste with style!

HIGH-QUALITY
FINISH

DURABLE
MATERIALS





CONTENTS

| | |
|---|-----|
| US CARGO RECYCLING CENTERS | 3 |
| US CARGO SYNCHRO RECYCLING CENTERS | 4-5 |
| EURO-CARGO II RECYCLING CENTERS..... | 6-7 |
| SE-CARGO RECYCLING CENTERS..... | 8-9 |
| SE-CARGO SHORT RECYCLING CENTERS..... | 10 |
| EASY-CARGO RECYCLING CENTERS..... | 11 |
| UNIVERSAL RECYCLING CENTER | 12 |
| UNDERSINK WASTEBIN PULL-OUTS..... | 13 |
| PIVOTING ROUND WASTEBINS | 14 |
| FOLDING STEP STOOL..... | 14 |
| LIBERO 30..... | 15 |

US CARGO RECYCLING CENTERS

TOP-MOUNT / FACE-FRAME CABINETS



No. 461324100

The US Cargo Series is designed for **imperial-sized face-frame cabinets**. Over-travel slides allow for total access to the bins. Available in different bin capacities and configurations with soft-close mechanism included. Also comes with an internal fixed metal lid that provides additional storage space.

- Top-mount installation for greater stability
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Increased strength with heavy-duty ball-bearing slides allowing for smooth opening and closing
- Door-mounted for full access in a single motion
- Internal fixed metal lid included
- Small bin comes with individual lid



No. 461315100

15" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|--------------------------------------|----------------|
| 461315100 | Silver gray | Yes | 1 x 44.4Qt (42l) + 1 x 9Qt (8.5l) | 53.4Qt (50.5l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 9/16" (573 mm) | |
| Product installation height | | | min. 20 7/8" (531 mm) | |
| Cabinet internal width | | | 13 1/2" - 14 1/8" (343 - 359mm) | |
| Opening width for face-frame application | | | 12" (305 mm) | |



No. 461324100

21" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|------------------------------|----------------|
| 461321100 | Silver gray | Yes | 2 x 44.4Qt (42l) | 88.8Qt (84l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 9/16" (573 mm) | |
| Product installation height | | | min. 20 7/8" (531 mm) | |
| Cabinet internal width | | | 19 7/16" - 20" (493 - 508mm) | |
| Opening width for face-frame application | | | 17 7/8" (455 mm) | |

24" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|--|----------------|
| 461324100 | Silver gray | Yes | 2 x 37 Qt (35l) + 2 x 10.6 Qt (10l) | 95.1 Qt (90l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 3/8" (568 mm) | |
| Product installation height | | | min. 22 7/16" (570 mm) | |
| Cabinet internal width | | | 22 7/16" - 23" (570 - 584mm) | |
| Opening width for face-frame application | | | 20 15/16" (531 mm) | |

Replacement bins or lids

| Product | Color | Bin capacity |
|-----------|-------------|--------------|
| 361340100 | Silver gray | 44.4Qt (42l) |
| 361485100 | Silver gray | 9 Qt (8.5l) |
| 361312100 | Silver gray | 12.7Qt (12l) |
| 461335100 | Silver gray | 37 Qt (35l) |
| 461310100 | Silver gray | 10.6Qt (10l) |

| Product | Color | Lid |
|------------|-------------|----------------------|
| L361485100 | Silver gray | for 9 Qt (8.5l) bin |
| 364286100 | Silver gray | for 10.6Qt (10l) bin |
| L361312100 | Silver gray | for 12.7Qt (12l) bin |



US CARGO SYNCHRO RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS




No. 481315100

The US Cargo Synchro Series is designed for imperial-sized face-frame or frameless cabinets. The over-travel undermount synchronized slides allow for total access to the bins. Available in different bin capacities and configurations with soft-close mechanism included. Comes with an internal fixed metal lid that also provides additional storage space.

- Top-mount installation for greater stability
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Over-Travel undermount synchronized slides for smooth opening and closing
- Door-mounted for full access in a single motion
- Internal fixed metal lid included
- Small 15-liter bin comes with individual lid

FRAMELESS



15" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|--------------------------------------|----------------|
| 481315100 | Silver gray | Yes | 1 x 39Qt (37l) + 1 x 15.9Qt (15l) | 54.9Qt (52l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) | |
| Product installation height | | | min. 20 17/32" (521mm) | |
| Cabinet internal width* | | | 13 1/2" - 13 3/4" (343 - 349mm) | |

18" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|---------------------------------|----------------|
| 481318100 | Silver gray | Yes | 2 x 39Qt (37l) | 78Qt (74l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) | |
| Product installation height | | | min. 20 17/32" (521mm) | |
| Cabinet internal width* | | | 16 1/2" - 16 3/4" (419 - 425mm) | |

21" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|---------------------------------|----------------|
| 481321100 | Silver gray | Yes | 2 x 44.4Qt (42l) | 88.8Qt (84l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) | |
| Product installation height | | | min. 20 17/32" (521mm) | |
| Cabinet internal width* | | | 19 1/2" - 19 3/4" (495 - 501mm) | |



No. 481321100

24" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|---------------------------------|----------------|
| 481324100 | Silver gray | Yes | 2 x 44.4Qt (42l) | 88.8Qt (84l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) | |
| Product installation height | | | min. 20 17/32" (521mm) | |
| Cabinet internal width* | | | 21 1/2" - 21 3/4" (572 - 578mm) | |

*All frameless models are designed for cabinets using 5/8" (16mm) to 3/4" (19mm) side panels.

US CARGO SYNCHRO RECYCLING CENTERS

TOP-MOUNT / FACE-FRAME CABINETS




No. 491315100



No. 491324100

FACE-FRAME



Small bin and individual lid, perfect for compost



Replacement bins or lids

| Product | Color | Bin capacity |
|------------|-------------|---------------|
| B481337100 | Silver gray | 39 Qt (37l) |
| B481342100 | Silver gray | 44.4 Qt (42l) |
| B481315100 | Silver gray | 15.9 Qt (15l) |

| Product | Color | Lid |
|------------|-------------|-----------------------|
| L481315100 | Silver gray | for 15.9 Qt (15l) bin |

15" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|---|----------------|
| 491315100 | Silver gray | Yes | 1 x 39Qt (37l) + 1 x 15.9Qt (15l) | 54.9Qt (52l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) + faceframe thickness | |
| Product installation height | | | min. 20 3/4" (527mm) | |
| Cabinet internal width* | | | 13 1/2" - 17 31/32" (343 - 457mm) | |
| Opening width for face-frame application | | | 12" (305mm) | |

18" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|---|----------------|
| 491318100 | Silver gray | Yes | 1 x 39Qt (37l) + 1 x 15.9Qt (15l) | 54.9Qt (52l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) + faceframe thickness | |
| Product installation height | | | min. 20 3/4" (527mm) | |
| Cabinet internal width* | | | 16 1/2" - 17 1/32" (419 - 433mm) | |
| Opening width for face-frame application | | | 15" (382mm) | |

21" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|---|----------------|
| 491321100 | Silver gray | Yes | 2 x 44.4Qt (42l) | 88.8Qt (84l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) + faceframe thickness | |
| Product installation height | | | min. 20 3/4" (527mm) | |
| Cabinet internal width* | | | 19 1/2" - 20 1/16" (495 - 510mm) | |
| Opening width for face-frame application | | | 18" (457mm) | |

24" wide cabinet

| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------------|------------|---|----------------|
| 491324100 | Silver gray | Yes | 2 x 44.4Qt (42l) | 88.8Qt (84l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 22 7/16" (569mm) + faceframe thickness | |
| Product installation height | | | min. 20 3/4" (527mm) | |
| Cabinet internal width* | | | 18 9/16" - 23 1/32" (472 - 585mm) | |
| Opening width for face-frame application | | | 21" (533mm) | |

*All face-frame models are designed for cabinets using 1/2" (12mm) to 3/4" (19mm) side panels.

EURO-CARGO II RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



No. 8461412100

Richelieu's exclusive Euro Cargo II Series is designed for imperial- and metric-sized frameless cabinets. Featuring industry-leading heavy-duty ball-bearing slides with over-travel for easy access to all the bins. Available in different bin capacities and configurations and offered with or without soft-close mechanism (depending on the model). Each system comes with an integrated fixed metal lid that also provides additional storage space.

- Top-mount installation for greater stability
- Over-travel heavy-duty ball-bearing slides for easy bin access
- Tested to 50,000 cycles at 165 lb (75 kg) and to 100,000 cycles at 110 lb (50 kg)
- Door-mounted for full access in a single motion
- 3-way adjustment front-fixing brackets
- Comes with an internal fixed metal lid that can also be used as a shelf
- Some models include individual lids for the small bins

**May also be used in face-frame cabinets by blocking the sides of the cabinet behind the frame to mount the slides*

30er / 12"

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|----------------------------------|----------------|
| 8461412100 | Silver gray | Yes | 1 x 31.7 Qt (1 x 30l) | 31.7 Qt (30l) |
| 8461412910 | Dark gray | Yes | | |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 15 7/8" (403mm) | |
| Product installation height | | | min. 18 3/16" (461 mm) | |
| Cabinet internal width | | | 10 5/16" - 10 3/4" (262 - 273mm) | |

35er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|---------------------------------|----------------|
| 8461435100 | Silver gray | Yes | 1 x 44.4 Qt (1 x 42l) | 44.4 Qt (42l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 21 3/4" (553mm) | |
| Product installation height | | | min. 21 1/16" (535mm) | |
| Cabinet internal width | | | 12 1/4" - 12 1/2" (312 - 318mm) | |



No. 8461435100

40er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|--|----------------|
| 8461440100 | Silver gray | Yes | 1 x 40.2 Qt (38l) + 1 x 12.7 Qt (12l) | 52.9 Qt (50l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 21 3/4" (553mm) | |
| Product installation height | | | min. 21 15/16" (557mm) | |
| Cabinet internal width | | | 14 1/4" - 14 1/2" (362 - 368mm) | |



No. 83614100

45er / 18"

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|---------------------------------|----------------|
| 83614100 | Silver gray | No | 2 x 40.2 Qt (2 x 38l) | 80.4 Qt (76l) |
| 84614100 | Silver gray | Yes | | |
| 84614910 | Dark gray | Yes | | |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 21 3/4" (553mm) | |
| Product installation height | | | min. 21 15/16" (557mm) | |
| Cabinet internal width | | | 16 1/4" - 16 3/4" (412 - 425mm) | |

EURO-CARGO II RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



No. 8361460100



No. 8461464910

50er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-----------------------------------|------------|-----------------------|----------------|
| 8461450100 | Silver gray | Yes | 2 x 44.4 Qt (2 x 42l) | 88.8Qt (84l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | min. 22 9/16" (573mm) | | | |
| Product installation height | min. 21 1/16" (535mm) | | | |
| Cabinet internal width | 18 3/16" - 18 7/16" (462 - 468mm) | | | |

60er / 24"

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|---------------------------------|------------|-----------------------|----------------|
| 8461463100 | Silver gray | Yes | 2 x 44.4 Qt (2 x 42l) | 88.8Qt (84l) |
| 8461463910 | Dark gray | Yes | | |
| Interior dimensions required | | | | |
| Cabinet internal depth | min. 22 9/16" (573mm) | | | |
| Product installation height | min. 21 1/16" (535mm) | | | |
| Cabinet internal width | 22 1/8" - 22 3/4" (562 - 578mm) | | | |

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|---------------------------------|------------|--|----------------|
| 8361460100 | Silver gray | No | 2 x 40.2 Qt (38l) + 2 x 9 Qt (8.5l) | 98.4Qt (93l) |
| 8461460100 | Silver gray | Yes | | |
| 8461460910 | Dark gray | Yes | | |
| Interior dimensions required | | | | |
| Cabinet internal depth | min. 21 3/4" (553mm) | | | |
| Product installation height | min. 21 15/16" (557mm) | | | |
| Cabinet internal width | 22 1/8" - 22 3/4" (562 - 578mm) | | | |

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|---------------------------------|------------|--|----------------|
| 8461464100 | Silver gray | Yes | 2 x 40.2 Qt (38l) + 1 x 20 Qt (19l) | 100.4Qt (95l) |
| 8461464910 | Dark gray | Yes | | |
| Interior dimensions required | | | | |
| Cabinet internal depth | min. 22 9/16" (573mm) | | | |
| Product installation height | min. 21 15/16" (557mm) | | | |
| Cabinet internal width | 22 1/8" - 22 3/4" (562 - 578mm) | | | |



No. 8461450100

Small bins and individual lids, perfect for compost



Replacement bins or lids

| Product | Color | Bin capacity |
|------------|-------------|---------------|
| 361485100 | Silver gray | 9 Qt (8.5l) |
| B461485910 | Dark gray | 9 Qt (8.5l) |
| 361312100 | Silver gray | 12.7 Qt (12l) |
| 361319100 | Silver gray | 20 Qt (19l) |
| B461419910 | Dark gray | 20 Qt (19l) |
| 361330100 | Silver gray | 31.7 Qt (30l) |
| 361330910 | Dark gray | 31.7 Qt (30l) |
| 361435100 | Silver gray | 40.2 Qt (38l) |
| 361435910 | Dark gray | 40.2 Qt (38l) |
| B481342100 | Silver gray | 44.4 Qt (42l) |
| B461442910 | Dark gray | 44.4 Qt (42l) |

| Product | Color | Lid |
|------------|-------------|-----------------------|
| L361485100 | Silver gray | for 9 Qt (8.5l) bin |
| L461485910 | Dark gray | for 9 Qt (8.5l) bin |
| L361312100 | Silver gray | for 12.7 Qt (12l) bin |

SE-CARGO RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



The SE-Cargo Series features a redesigned straight side with concealed synchronized undermount slides. Equipped with soft-close mechanisms, this series provides smooth and long-lasting operation. Designed for **frameless cabinets**.*

- Latest generation of on-trend top-mount waste bins
- Comes with an internal metal lid offering more storage space
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Over-travel slides allow for easier removal of bins
- Door-mounted for full access in a single motion
- 3-way adjustment front-fixing brackets
- 12-liter bin comes with an individual lid

**May be used in face-frame cabinets by blocking the sides of the cabinet behind the frame to mount the slides*

No. 471940100

35er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|--------------------------------------|----------------|
| 471935100 | Silver gray | Yes | 1 x 40.2Qt (38l) + 1 x 7.4Qt (7l) | 47.6Qt (45l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 20 25/32" (528 mm) | |
| Product installation height | | | min. 21 21/32" (550 mm) | |
| Cabinet internal width | | | 12 1/4" - 12 1/2" (312 - 318 mm) | |

40er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|--------------------------------------|----------------|
| 471940100 | Silver gray | Yes | 1 x 40.2Qt (38l) + 1 x 7.4Qt (7l) | 47.6Qt (45l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 20 25/32" (528 mm) | |
| Product installation height | | | min. 21 21/32" (550 mm) | |
| Cabinet internal width | | | 14 1/4" - 14 1/2" (362 - 368 mm) | |

45er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|-----------------------------------|----------------|
| 4719100 | Silver gray | Yes | 2 x 40.2Qt (2 x 38l) | 80.3Qt (76l) |
| 4719910 | Dark gray | Yes | | |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 20 25/32" (528 mm) | |
| Product installation height | | | min. 21 21/32" (550 mm) | |
| Cabinet internal width | | | 16 1/4" - 16 7/16" (412 - 418 mm) | |



No. 4719910

SE-CARGO RECYCLING CENTERS

TOP-MOUNT / FRAMELESS CABINETS



No. 471950100



No. 471960910

50er

| Product | Color | Soft close | Bin configuration | Total capacity |
|------------------------------|-------------|------------|-----------------------------------|----------------|
| 471950100 | Silver gray | Yes | 2 x 40.2Qt (2 x 38l) | 80.4Qt (76l) |
| 471950910 | Dark gray | Yes | 2 x 40.2Qt (2 x 38l) | 80.4Qt (76l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 20 25/32" (528mm) | |
| Product installation height | | | min. 21 21/32" (550mm) | |
| Cabinet internal width | | | 18 3/16" - 18 7/16" (462 - 468mm) | |

60er

| Product | Color | Soft close | Bin configuration | Total capacity |
|------------------------------|-------------|------------|--|----------------|
| 471960100 | Silver gray | Yes | 2 x 40.2Qt (2 x 38l) | 95.6Qt (90.5l) |
| 471960910 | Dark gray | Yes | + 1 x 12.7Qt (12l) + 1 x 2.6Qt (2.5l) | |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 20 25/32" (528mm) | |
| Product installation height | | | min. 21 21/32" (550mm) | |
| Cabinet internal width | | | 22 1/8" - 22 3/8" (562 - 568mm) | |



Replacement bins or lids

| Product | Color | Bin capacity |
|------------|-------------|---------------|
| 361435100 | Silver gray | 40.2Qt (38l) |
| 361435910 | Dark gray | 40.2Qt (38l) |
| 361312100 | Silver gray | 12.7Qt (12l) |
| B361412910 | Dark gray | 12.7Qt (12l) |
| 361407100 | Silver gray | 7.4 Qt (7l) |
| 461925100 | Silver gray | 2.6 Qt (2.5l) |
| B461925910 | Dark gray | 2.6 Qt (2.5l) |

| Product | Color | Lid |
|------------|-------------|----------------------|
| L361312100 | Silver gray | for 12.7Qt (12l) bin |
| L361412910 | Dark gray | for 12.7Qt (12l) bin |



SE-CARGO SHORT RECYCLING CENTERS

TOP MOUNT / FRAMELESS CABINETS



No. 461156100

The SE-Cargo Short series features concealed synchronized undermount slides with soft-close mechanism. Protected from dust or debris, it provides a smooth hand long-lasting operation. Compact design for **frameless cabinets** with reduced clearance at the rear and/or top of cabinet.*

- Top-mount waste bins
- Comes with an internal lid offering more storage space above it
- Tested to 100,000+ cycles
- 110-lb (50-kg) load capacity
- Over-travel slides allowing for easier removal of bins
- Door-mounted for full access in a single motion
- 3-way adjustment front-fixing brackets
- The two 3-bin models also includes one individual lid for a 13 l bin

*May be used in face-frame cabinets by blocking the sides of the cabinet behind the frame to mount the slides

30er / 12"

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|------------------------------------|----------------|
| 461912100 | Silver gray | Yes | 1 x 31.7 Qt (30l) | 31.7 Qt (30l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 17 5/8" (448 mm) | |
| Product installation height | | | min. 18 1/8" (460 mm) | |
| Cabinet internal width | | | 10 5/16" - 10 9/16" (262 - 268 mm) | |

60er

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|---|----------------|
| 461162100 | Silver gray | Yes | 2 x 31.7 Qt (30l) | 63.4 Qt (60l) |
| 461156100 | Silver gray | Yes | 1 x 31.7 Qt (30l) + 2 x 13.7 Qt (2 x 13l) | 59.1 Qt (56l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 17 5/8" (448 mm) | |
| Product installation height | | | min. 17 7/8" (453 mm) | |
| Cabinet internal width | | | 22 1/8" - 22 3/8" (562 - 568 mm) | |



No. 461912100



No. 461162100

60er – With integrated pull-out lid

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-----------|------------|--|----------------|
| 360860905 | Dark gray | Yes | 1 x 29.6 Qt (28l) + 2 x 13.7 Qt. (2 x 13l) | 57.1 Qt (54l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 15 3/4" (400 mm) | |
| Product installation height | | | min. 16 7/8" (429 mm) | |
| Cabinet internal width | | | 22 1/8" - 22 3/8" (562 - 568 mm) | |



No. 360860905

Replacement bins or lids

| Product | Color | Bin capacity |
|------------|-------------|-----------------------|
| 361330100 | Silver gray | 31.7 Qt (30l) |
| 361330910 | Dark gray | 31.7 Qt (30l) |
| B471928910 | Dark gray | 29.6 Qt (28l) |
| B461113100 | Silver gray | 13.7 Qt (13l) |
| B461913910 | Dark gray | 13.7 Qt (13l) |
| Product | Color | Lid |
| L461113100 | Silver gray | for 13.7 Qt (13l) bin |
| L471913910 | Dark gray | for 13.7 Qt (13l) bin |



EASY-CARGO RECYCLING CENTERS

BOTTOM-MOUNT / HINGED-DOOR CABINETS



- Fast and easy installation: 4 screws and you're done!
- Comes in two configurations, with one or two bins
- Heavy-duty ball-bearing slides
- 66-lb (30-kg) load capacity
- Full extension for easier bin removal
- Available in silver gray
- Comes with internal lid offering extra storage space



No. 366840100



No. 366850100

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|-----------------------|----------------|
| 366840100 | Silver gray | No | 1 x 44.4 Qt (42l) | 44.4 Qt (42l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 18 5/16" (465mm) | |
| Product installation height | | | min. 21 1/2" (546mm) | |
| Cabinet internal width | | | min. 13 9/16" (345mm) | |

| Product | Color | Soft close | Bin configuration | Total capacity |
|-------------------------------------|-------------|------------|--|----------------|
| 366850100 | Silver gray | No | 1 x 31.7 Qt (30l) + 1 x 20 Qt (19l) | 51.8 Qt (49l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 18 5/16" (465mm) | |
| Product installation height | | | min. 18 1/8" (460mm) | |
| Cabinet internal width | | | min. 17 15/16" (456mm) | |

UNIVERSAL RECYCLING CENTER

BOTTOM-MOUNT / HINGED-DOOR / DOOR-MOUNTED



This versatile bottom-mount pull-out can easily be installed in a frameless or face-frame cabinet. It can also be door-mounted or installed in a hinged-door application by removing the front-fixing brackets.

- Comes with 2 bins (each with lids)
- Bins include ergonomic handles for ease of use
- Full-extension soft-closing slides
- Tested to 100,000+ cycles
- 88-lb (40-kg) weight capacity
- Front-fixing brackets with a wide adjustment range

Bottom-mounting allows for face-frame and frameless applications. Minimum opening 14 1/4" on face-frame cabinets, including hinge protrusion on a swing door application.



Replacement bins or lids

| Product | Color | Bin capacity |
|-----------|-------------|---------------|
| 362440100 | Silver gray | 30.6 Qt (29l) |

| Product | Color | Lid |
|-----------|-------------|-----------------------|
| 362441100 | Silver gray | for 30.6 Qt (29l) bin |



| Product | Color | Soft close | Bin configuration | Total capacity |
|--|-------|------------|---------------------------------|----------------|
| 461640100 | Gray | Yes | 2 x 30.6Qt (29l) | 61.2 Qt (58l) |
| Interior dimensions required | | | | |
| Cabinet internal depth | | | min. 20 27/32" (530mm) | |
| Product installation height | | | min. 20 3/4" (528mm) | |
| Cabinet width for door-mounted version | | | 14 1/4" - 22 3/8" (362 - 568mm) | |
| Cabinet width for hinged-door version | | | min. 14 3/4" (375mm) | |

UNDERSINK WASTEBIN PULL-OUTS

BOTTOM-MOUNT / IDEAL FOR REDUCED SPACES



No. 3635910

- Designed to make maximum use of cabinet space
- Full-extension slides for total access
- Bottom-mount, so no width restrictions
- Fits many cabinet sizes



No. 364090

SPACE SAVER:

Large capacity with a compact size

- Low height
- Ideal for undersink cabinets
- Lid can be used as storage shelf



No. 3650100



Delivers permanent antibacterial protection using Silver Ion technology

No. 3667030



No. 3641100



No. 3642100

Minimum interior dimensions required

| Product | Color | Width | Depth | Height | Opening |
|----------|----------------|------------------|-------------------|-------------------|-----------|
| 3635910 | Dark gray | 10 5/8" (270mm) | 16 13/16" (427mm) | 15 3/4" (401mm) | Manual |
| 3636910* | Dark gray | 14 3/16" (360mm) | 16 13/16" (427mm) | 15 3/4" (401mm) | With door |
| 3666100 | Gray | 10 7/8" (276mm) | 19 3/32" (485mm) | 16 1/8" (410mm) | Manual |
| 3650100 | Gray | 10 7/8" (276mm) | 19 7/8" (505mm) | 18 1/8" (460mm) | Manual |
| 3667030 | White and blue | 10 7/8" (276mm) | 19 3/32" (485mm) | 16 1/8" (410mm) | Manual |
| 3641100 | Gray | 14 5/8" (371mm) | 18 11/16" (475mm) | 13 7/16" (341mm) | Manual |
| 3642100 | Gray | 14 5/8" (371mm) | 18 11/16" (475mm) | 13 7/16" (341mm) | Manual |
| 364090 | Gray and black | 14 5/8" (371mm) | 18 1/2" (470mm) | 12 13/16" (325mm) | Manual |

* Minimum 400-mm wide cabinet required to accommodate this model's door attachment.

UNDERSINK WASTEBINS

SIDE & DOOR MOUNT / PIVOTING ROUND BINS



- Attaches to the inside of the cabinet and the door
- Lid is equipped with a spring and lifts out of the way when the door is opened, preventing waste from spilling out when the bin is full
- Internal removable bin for easy cleaning
- Reversible, can be installed on left or right side
- Outside metal container ensures lasting durability
- Recommended for use with "non-soft close" door hinges (max 95° opening)

| Product | Pivoting bin capacity | Color | Minimum interior dimensions required | | |
|---------|-----------------------|--------|--------------------------------------|------------------|--------------------|
| | | | Width | Depth | Height |
| 371530 | 15.8Qt (15l) | White | 14 1/4" (362mm) | 12 1/4" (311 mm) | 16 3/4" (425mm) |
| 3715100 | 15.8Qt (15l) | Gray | 14 1/4" (362mm) | 12 1/4" (311 mm) | 16 3/4" (425mm) |
| 3715140 | 15.8Qt (15l) | Chrome | 14 1/4" (362mm) | 12 1/4" (311 mm) | 16 3/4" (425mm) |
| 372030 | 21Qt (20l) | White | 14 1/4" (362mm) | 12 1/4" (311 mm) | 20 15/16" (531 mm) |
| 3720100 | 21Qt (20l) | Gray | 14 1/4" (362mm) | 12 1/4" (311 mm) | 20 15/16" (531 mm) |
| 3720140 | 21Qt (20l) | Chrome | 14 1/4" (362mm) | 12 1/4" (311 mm) | 20 15/16" (531 mm) |



- Attaches to the inside of the cabinet and to the door
- Reversible, can be installed on left or right side
- The lid tilts open when you open the door for easy access
- Suitable for cabinet doors equipped with soft-close hinges (max 95° opening)

| Product | Pivoting bin capacity | Color | Minimum interior dimensions required | | |
|---------|-----------------------|----------|--------------------------------------|------------------|------------------|
| | | | Width | Depth | Height |
| 3515905 | 15.8Qt (15l) | Graphite | 14 3/8" (365mm) | 12 3/16" (309mm) | 18 1/8" (460 mm) |

Folding Step Stool

Unfolds in a flash!

A great solution to get easy access to your upper cabinets. Can be hidden in the kick plate (using our special kick-plate bracket) or stored inside a cabinet (with or without a wall-mounted support). Each sold separately.

| Product | Description | Product dimensions (WxDxH) |
|---------|---|---|
| 4410905 | Folding step tool - gray | Opened: 16" x 15 3/8" x 15" (405 x 390 x 382mm) Closed: 16" x 3 7/8" x 18 1/2" (405 x 98 x 470mm) Load capacity: 331 lb (150kg) |
| 44962G | Step stool kick-plate bracket with wheels | 16 1/16" x 3 1/2" x 1 1/4" (408 x 89 x 31 mm) |



No. 4495905 Wall support - graphite



No. 44962G Bracket for kick plate

The kick-plate bracket allows you to hide the step stool behind the baseboard. Order separately.



LIBERO 3.0 – SMART ELECTRONIC DOOR OPENER FOR RECYCLING CENTERS



- ✓ Hands-free opening system
- ✓ Foot-activated laser sensor
- ✓ Optional voice activated “smart” feature compatible with Amazon’s ALEXA



- This “plug & play” system mounts at the bottom front edge of the cabinet and only needs to be plugged into a standard 110 V outlet. Easy to install, it can also be retrofitted
- It is mainly used with our popular waste management systems in a frameless cabinet application but can also be used for deep drawers
- An integrated LED light indicates the laser position
- To open the door, simply move your foot up towards the LED light under the kick plate. The device will push open the door and allow full “hands-free” access to the cabinet
- It also works with wastebins equipped with soft-close runners
- Last but not least, Libero 3.0 is compatible with Smart Homes using ALEXA for the voice-activated feature
- All Libero settings can be easily adjusted via web browsers



| Product | Description | Product dimensions (WxDxH) |
|----------|------------------------|---|
| 36973100 | Electronic door opener | 6 3/16" x 11 13/16" x 1 5/16" (157 x 300 x 33mm) |



Visit richelieu.com
in the kitchen section for more solutions



Serving you across North America

CANADA
Tel.: 1 800 361-6000
Fax: 1 800 363-0193

UNITED STATES
Tel.: 1 800 619-5446
Fax: 1 800 876-7454



Follow us on



WASTE032023U 03-2023
Printed in Canada \$ 2