



SEH4 - FlexyLED 12V Tape

Product # 128024122119

Light Color Warm White

Kelvin Color Temperature (K) 3100 K

LED Strip Length 9 ft 10 in*

Watts 30 W

Power Cable Double

DESCRIPTION

Silicone profile for recessed side emitting installations

- Silicone profile for recessed side-illuminated installations
- The FlexyLED SEH4 profile is designed for side lighting and can be installed directly in wood, in a groove 4 mm wide and 8 mm deep.
- This flexible 12 V linear LED strip has been developed using a new extrusion technology for the diffusion of silicone materials.
- Power 12 W/m, 120 LED/m.

ADVANTAGES AND BENEFITS

- Even lighting without dot effect - Fits in a recessed groove of only 4 mm in width - Pressure installation: no need for glue or adhesives, since the tape is made from a soft silicone and simply needs to be pressed into any type of groove - The flexibility of FlexyLED SE H4 makes it ideal for installing in any type of groove: linear, waves, rings, or any other shape - Can be cut every 25 mm

REQUIRED PRODUCTS

Requires the following products



Webkit BTRF 12V

AND



12 V Extension Cable

TECHNICAL SPECIFICATIONS

| | |
|------------------------------|--|
| Product # | 128024122119 |
| Location | Under Cabinet, Countertop |
| Application | Kitchen, Living Room, Bedroom, Office, Commercial, Furniture, Closet |
| Mounting | Recessed |
| Luminaire | Flexible Linear |
| Compatibility | Micro 12 |
| Lighting | Accent, Task |
| Standards and Certifications | cULus |
| CRI (Color Rendering Index) | 80 |
| Luminous Efficiency | 70 lm/W |
| Power Cable Length | 78 3/4 in* |
| Width | 5/32 in* |
| Recessed Depth | 13/32 in* |
| IP | IP44 |
| Lighting Type | LED |
| Tension (V) | 12 V |
| Group | LED Group A |
| Features | Dimmable |
| Length of second power cable | 78 3/4 in* |

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- Lighting efficiency: 70 lm/W - Once strip is cut, it cannot be reconnected - The FlexyLED SE H4 cannot be bent at right angles

INCLUDED PRODUCT(S)

- FlexyLED SE H4 pre-wired tape light - 78 3/4" (2 m) power cable with a Micro12 connector - Silicone cap

APPLICATION

- Countertops - Cabinets - Bookcases - Display cases - Decorative lighting - Wardrobes - Cupboards

DISCLAIMER

Product information is subject to change without prior notice. Richelieu grants no warranty on LED lights if a power supply other than the one specifically prescribed for this product is used. Do not exceed the maximum wattage by connecting more lights than prescribed as damage to the power supply may result.

PRODUCT PHOTOS



