



LOOP - LED Light, IP 44, 3.6 W, 12 V

Product # 12812124140

DESCRIPTION

Dimmable LED light for installation on edge of mirror

Comes with a bracket for surface-mount installation on mirrors with a thickness between 3/16 in to 1/4 in (4 mm to 6 mm).

ADVANTAGES AND BENEFITS

- Wide projection beam for bright and uniform light distribution

TECHNICAL SPECIFICATIONS

Product #	12812124140
Location	Furniture
Application	Bathroom, Furniture
Mounting	Surface
Luminaire	Fixed Spots
Compatibility	Micro 12
Lighting	Task, Functional
Finish	Chrome
Light Color	Neutral White
Kelvin Color Temperature (K)	3800 K
Standards and Certifications	cULus
Style	Contemporary, Eclectic
CRI (Color Rendering Index)	80
Material	Aluminum
Height	1 1/32 in*
Diameter	2 15/16 in*
IP	IP44
Lighting Type	LED
Tension (V)	12 V
Watts	3.6 W
Group	LED Group A
Connection Type	Micro 12
Luminous Flux	180 Lumen

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

INCLUDED PRODUCT(S)

- Loop LED mirror light - 47 1/4 in (1.2 m) power cable with a Micro12 connector - Bracket for direct fitting on the mirror

IMPORTANT INFORMATION

Chrome finish

APPLICATION

- Surface installation

DISCLAIMER

- Product information subject to change without notice. - There is no replacement bulb available for this light due to its average lifespan of 50 000 hours. - Richelieu grants no warranty on LED lights if a power supply other than the one specifically prescribed for this product is used. - Do not exceed the maximum wattage by connecting more lights than prescribed; damage to the power supply may result. - Wattage calculation for power supplies should be using an 80% maximum yield.

PRODUCT PHOTOS



