



# SEH4 - FlexyLED 24V DC Tape

Product # 13002414122059

**Light Color** Warm White

Kelvin Color Temperature (K) 3100 K

LED Strip Length 59 in\*

**Watts** 14.4 W

## **DESCRIPTION**

### LED module with double power cable

- Silicone profile for recessed side emitting installations
- The FlexyLED SE H4 profile is designed for lateral lighting and can be installed directly in the wood, in a groove measuring 4 mm wide and 8 mm deep
- 24 V dc flexible linear LED strip developed with a new extrusion technology for diffusing silicone materials

#### **ADVANTAGES AND BENEFITS**

- Extremely flexible - Can be installed in straight, curved, or circular groove or in any configuration - Double power cable - Micro 24 connector - Can be divided every 1 5/16 in (33 mm) - 180 LED/m LED module - Does not require glue



# REQUIRED PRODUCTS

Requires the following products



24 V Extension Cable

Requires ONE of the following products



# **Dimmable Power Supply 24 V Hardwire**

OR



X-DRIVER Webkit

(OR)



Non-Dimmable Power Supply 24 V

 $(\mathsf{OR})$ 



Webkit BTRF 24V



## **TECHNICAL SPECIFICATIONS**

| Product #                    | 13002414122059                                   |
|------------------------------|--|
| Location                     | Inside Cabinet, Furniture, Countertop            |
| Application                  | Kitchen, Bathroom, Commercial, Furniture, Closet |
| Mounting                     | Recessed   |
| Luminaire                    | Flexible Linear                                  |
| Compatibility                | Micro 24   |
| Lighting                     | Accent, Functional                               |
| Standards and Certifications | CE   |
| CRI (Color Rendering Index)  | 90   |
| Luminous Efficiency          | 75 lm/W  |
| Material                     | Silicone   |
| Power Cable Length           | 78 3/4 in*                                       |
| Width                        | 5/32 in*   |
| Recessed Depth               | 5/16 in*   |
| IP                           | IP44   |
| Lighting Type                | LED  |
| Tension (V)                  | 24 V   |
| Group                        | LED Group A                                      |
| Power Cable                  | Double   |
| Watts/Foot                   | 2.92 W   |
| Connection Type              | Micro 24   |
| Features                     | Dimmable, Bluetooth                              |
| Length of second power cable | 78 3/4 in*                                       |

#### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

# **INCLUDED PRODUCT(S)**

- 78 3/4 in (2000 mm) micro 24 cable included

## **APPLICATION**

- Countertops - Cabinets - Bookcases - Display cases - Decorative lighting - Wardrobes - Cupboards - Closets



# PRODUCT PHOTOS





