



## **FLEXYLED AT6**

**Product #** 151024300124118

**Light Color** Neutral White

**Kelvin Color Temperature (K)** 4000 K

**Luminous Efficiency** 91.5 lm/W

**LED Strip Length** 9 ft 10 in\*

**Watts** 30 W

### **DESCRIPTION**

#### **LED module with double power cable**

Milky flexible LED modules for recessed or on surface installation

- FLEXYLED AT6 is a 24Vdc flexible linear LED strip developed using a new milky-effect diffusing silicone coating technology that cancels the characteristic spot effect light emitting diodes.

- FLEXYLED AT6 has a high-seal 3M® adhesive base and can be installed in grooves or surfaces. Available in three pre-wired modules (200, 300 and 600 cm) wired with double power cable.

### **ADVANTAGES AND BENEFITS**

Can be divided at 21,7 mm intervals. The double power cable configuration allows the cut part of any of the original modules to be recovered.

---

## REQUIRED PRODUCTS

Requires the following products

---



**24 V Extension Cable**

Requires ONE of the following products

---



**Dimmable Power Supply 24 V Hardwire**

---

OR



**X-DRIVER Webkit**

---

OR



**Non-Dimmable Power Supply 24 V**

---

OR



**Webkit BTRF 24V**

## TECHNICAL SPECIFICATIONS

Product #	151024300124118
Location	Under Cabinet, Closet, Furniture, Countertop
Application	Kitchen, Living Room, Bedroom, Bathroom, Office, Furniture, Closet
Mounting	Recessed, Surface
Luminaire	Flexible Linear
Compatibility	Micro 24
Lighting	Ambience, Accent
Finish	White
Standards and Certifications	UL
Style	Contemporary
CRI (Color Rendering Index)	90
Material	Silicone
Power Cable Length	78 3/4 in*
Width	1/4 in*
IP	IP44
Lighting Type	LED
Tension (V)	24 V
Group	LED 24Vdc Exclusive
Power Cable	Double
Length of second power cable	78 3/4 in*

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## INCLUDED PRODUCT(S)

- 276 LED/m LED module - with double power cable - a high-strength 3M© adhesive base - hooks - fixing screws

## PRODUCT PHOTOS



