



LED Pure 5W Desk Lamp

Product # 2089090

DESCRIPTION

Strong gooseneck arm

Contemporary look, built with functionality in mind!
While other desk lamps have only one or two points of articulation, Richelieu's LED 5W desk lamp with gooseneck arm and swivel head offers a full range of flexibility in directing your light where you need it!

ADVANTAGES AND BENEFITS

- Strong gooseneck arm, 25" in length, for complete flexibility and control of your light (length of arm from the base to the lamp: 670 mm/26-3/8").
- Aluminum silver, with compact black laminated base.
- 3-step dimmer function built into base for easy control of light levels with just a single touch (ON at 6%, 50%, 100% and OFF).
- Size of base (L x W x H) including rubber bumpers: 200 mm x 134 mm x 25 mm or 7-7/8" x 5-1/4" x 1".
- Weight of base and lamp: 948 g or 2.09 lb (not including the AC adaptor).

TECHNICAL SPECIFICATIONS

Product #	2089090
Location	Furniture
Application	Office
Mounting	Surface
Luminaire	Freestanding
Control System	Touch
Operation	Touch
Lighting	Accent
Finish	Silver
Light Color	Neutral White
Kelvin Color Temperature (K)	4300 K - 4750 K
Standards and Certifications	UL
Style	Contemporary, Functional
CRI (Color Rendering Index)	75
Lighting Type	LED
Watts	5 W
Group	LED Group Kits
Price Point	Prestige
Luminous Flux	531 Lumen
Kit	Complete Kit
Features	Dimmable, Touch Function

APPLICATION

- Desks

INCLUDED PRODUCT(S)

- Includes two high-powered CREE LED Chip Technology for a total of 5W. - Built-in 3-step touch dimmer - Power supply.

IMPORTANT INFORMATION

- UL-listed adapter and plug (100~240 Vac, 50/60 Hz, cULus certified) - Flux: 531 lm - Efficacy: 118.7 lm/W - Color rendering index: 75 - Color temperature: 4,300° - 4,750° K (neutral white) - Cord color: Black - Cord length: 180 cm (70"/6')

DISCLAIMER

WARNING: Always connect the LED light to the power supply first and then connect the power supply to the mains, failure to do so may cause damage to the existing diode. There is no replacement bulb available for this light due to its life span average of 50,000 hours. Richelieu grants no warranty on LED lights if another power supply other than the one specifically prescribed for this product is used. Do not exceed the maximum wattage by connecting more lights than prescribe damage to the power supply may result. Do not cut or splice wiring or the lighting system may be damaged and manufacturer's warranty is voided.

PRODUCT PHOTOS

