



# **AVENTOS HK-S Mechanism for Lift-Up Door**

**Product #** 20K2B00N6

Load Capacity 1.32 to 7.28 lb\*

Mechanism Strength Light Weight

System Type B

### **DESCRIPTION**

Streamlined: the design of the caches has been improved

AVENTOS HK-S, hinged lift door mechanism specially designed for small cabinets (minimum internal height 150 mm (5 7/8 in.).

- Elegant
- Cleaned up
- Suitable for AVENTOS HK top.

The small hinged lift-up door fits stylishly into furniture bodies of various designs and offers maximum ease of movement.

#### IMPORTANT:

Please refer to the product data sheets to select the right model.

#### **ADVANTAGES AND BENEFITS**

- Small, compact mechanism occupies minimal space. - Integrated Blumotion device for soft-closing. - Easy mounting and adjustment. - Opening angle up to 107° for complete visibility.

# REQUIRED PRODUCTS

Requires the following products

Sales unit

**Mounting Plate with Horizontal Cam** Product # 175H310180





## **TECHNICAL SPECIFICATIONS**

Product #	20K2B00N6
Hinge Opening Angle	+107°
Brand	Blum
Side	Both
Door Height	7 5/32 to 15 3/4 in*
Material	Metal
Finish	Light Gray
Minimum internal depth of the enclosure	6 13/32 in*

#### **Disclaimer**

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

### IMPORTANT INFORMATION

- One side is without spring and one side is with a medium spring. - We strongly recommend that you consult the height/weight grid given in the datasheet to make your choice.

## **APPLICATION**

Upper cabinets of reduced height, such as cabinets above refrigerators and pantries.

# **INCLUDED PRODUCT(S)**

- 2 symmetrical lifting mechanisms - 2 left/right covers - 2 narrow covers with Logo - 6 chipboard screws Ø 4 x 35 mm



# PRODUCT PHOTOS

