

AVENTOS Lift Mechanism HL

Product # 20L2900N5

Door Height 13 3/4 to 22 7/8 in*

Capacity 18.2 to 36.4 lb*

DESCRIPTION

Because AVENTOS HL opens parallel to the cabinet, it can be used in wall cabinets or in the upper half of tall units. In between, it can be adapted to conceal small appliances.

** Please consult product information to choose the right mechanism for the height and weight of your door.

REQUIRED PRODUCTS

Requires the following products

Sales unit



AVENTOS Arm Set HL without SERVO-DRIVE

AND



AVENTOS HS/HL/HK Front Fixing Bracket for Thin Fronts
Product # 20S42T1

AND



Oval Stabilizer Bar
Product # 20Q1061UA

Requires ONE of the following products

Sales unit



Hardware Bracket Set for Wood and Wide-Framed Aluminum Doors

Product # 20S4200

Pair

OR




AVENTOS HS/HL/HK et HK top Hardware Set for Narrow Aluminum Frames

Product # 20S4200A

Requires ONE of the following products

Sales unit




AVENTOS HL mechanism cover

Product # 20L8020105

Finish: Light Gray

Box

OR




AVENTOS HL mechanism cover

Product # 20L8020108

Finish: Dark Gray

Box

OR



AVENTOS HL mechanism cover

Product # 20L802030

Finish: White

Box

TECHNICAL SPECIFICATIONS

Product #	20L2900N5
Material	Metal
Finish	Gray
System Type	Lift
Door Length	15 3/4 to 70 7/8 in*
Minimum internal depth of the enclosure	11 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

PRODUCT PHOTOS

