



## Soft-Close Mechanism for Sliding Door

**Product #** 246014170

**Finish** Gray

**Packaging format** Box

### DESCRIPTION

#### Interior Barn Door




Soft stop damper closing mechanism for barn door flat bar sliding systems for wood doors weighing up to 176 lb (80 kg) each.  
This optional mechanism works with the track stopper to assist in slowing the moving door. The mechanism is hidden behind and mounted to the back of the flat bar track.

### ADVANTAGES AND BENEFITS

- Can also be used for soft-opening. - Damping and soft closing of the doors with no bounce-back effect.

## REQUIRED PRODUCTS

Requires ONE of the following products

				Sales unit
	<b>Flat Rail, Stainless Steel</b> Product # 246003170			Box
	Overall Length: 9 ft 10 in*	Door Width: 56 1/8 to 60 in*	Number of Doors: 2 / 1	
<div>OR</div>				
	<b>Flat Rail, Stainless Steel</b> Product # 246011170			Box
	Overall Length: 78 3/4 in*	Door Width: 23 7/8 to 40 3/8 in*	Number of Doors: 1	
<div>OR</div>				
	<b>Flat Rail, Stainless Steel</b> Product # 246012170			Box
	Overall Length: 98 3/8 in*	Door Width: 46 1/8 to 49 1/4 in*	Number of Doors: 2 / 1	

## TECHNICAL SPECIFICATIONS

Product #	246014170
Soft-Close Type	One-Way Operation
Door Material	Wood
Door Installation	Top Hung
Load Capacity	176 lb*
Manufacturing Material	Plastic
Screw/Nail Included	Yes
Depth	13/16 in*
Door Width	36 to 40 1/8 in*
Door Thickness	1 3/8 to 1 3/4 in
Product type	Soft-Close
Brand	Onward, Richelieu
Soft-Closing	Yes
Overall Height	25/32 in*
Application	Barn Door
Door Movement	Straight Sliding

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## INCLUDED PRODUCT(S)

- 1 soft-close mechanism with screws - 1 system trigger, with screws - 1 Allen key

## IMPORTANT INFORMATION

Never use excessive force, this may damage the internal mechanism. Do not exceed maximum load.

## PRODUCT PHOTOS

