



UNIKA - LED Luminaire For Under-Cabinet Lighting

Product # 26002302412090

Finish Black

Light Color Super Warm White

Kelvin Color Temperature (K) 2700 K

CRI (Color Rendering Index) 82

Luminous Efficiency 82 lm/W

Charging Features None

Luminous Flux 370 Lumen

Features No USB port

DESCRIPTION

UNIKA is a luminaire with a perimeter light source integrated into a holder inclined at 15 °, installed under the kitchen wall unit close to the wall. Available with painted steel and black touch finishes.

The UNIKA USB light source has a power consumption of 4.5W, while the maximum load that can be connected to the USB sockets must not exceed 20W. For USB models, please use a non-dimmable transformer.

ADVANTAGES AND BENEFITS

- New Generation of Puck Lights -- Newest Style on the market - 4 Configurations -- 2 Finishes - Multiple applications - Angled on a 15deg for a full countertop illumination - Safety and Cleaning, installed away from water and food - No drilling/housing necessary under the cabinets - Clean backsplash -- No more power outlets or wall dimmers - Cable free top - Zero wire management due to placement - Matching style with silicone solutions Flexyled AT6 and SHE4



REQUIRED PRODUCTS

Requires the following products



24 V Extension Cable

Requires ONE of the following products



Dimmable Power Supply 24 V Hardwire

OR



X-DRIVER Webkit

(OR)



Non-Dimmable Power Supply 24 V

 (OR)



Webkit BTRF 24V



TECHNICAL SPECIFICATIONS

Product # 26002302412090 Location Under Cabinet, Furniture Application Kitchen, Living Room, Bedroom, Office Mounting Surface Luminaire Fixed Spots Compatibility Micro 24 Operation Direct Lighting Task Standards and Certifications cULus Style Contemporary
Application Kitchen, Living Room, Bedroom, Office Mounting Surface Luminaire Fixed Spots Compatibility Micro 24 Operation Direct Lighting Task Standards and Certifications CULus
MountingSurfaceLuminaireFixed SpotsCompatibilityMicro 24OperationDirectLightingTaskStandards and CertificationscULus
LuminaireFixed SpotsCompatibilityMicro 24OperationDirectLightingTaskStandards and CertificationscULus
Compatibility Micro 24 Operation Direct Lighting Task Standards and Certifications cULus
Operation Direct Lighting Task Standards and Certifications cULus
Lighting Task Standards and Certifications cULus
Standards and Certifications cULus
Style Contemporary
Material Thermoplastic, Polycarbonate
Power Cable Length 78 3/4 in*
Height 2 17/32 in*
Diameter 2 15/16 in*
Lighting Type LED
Tension (V) 24 V
Watts 4.5 W
Power Cable Single

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

IMPORTANT INFORMATION

The UNIKA USB light source has 4.5W power consumption, while the maximum load connectable to the USB sockets shall not exceed 20W. For USB models, please use a non-dimmable transformer. Use power supplies with maximum load suited to the total power consumption to feed this luminaire.



PRODUCT PHOTOS





