



Aluminum Profile 5/8" Recessed

Product # 30145350

Finish Aluminum

DESCRIPTION

Made in North America



A compact recessed profile allows you to make the LED source invisible. The edges on each side of this extrusion allow recessed installation giving it style with a discreet and neat appearance. Aluminum profile solutions are in great demand as they enable our customers to customize their designs for their customers like never before.

ADVANTAGES AND BENEFITS

Richelieu's new aluminum RECESSED profile solution fits tape light and tape light rolls. Designed for installation under cabinets or within furniture. Customize your lengths as needed; profiles can be cut easily with a miter saw. Slim design

REQUIRED PRODUCTS!

Requires the following products

		Sales unit
	Profile Accessories ~ End Caps Product # 30145354	Bag
AND		
	Profile Accessories ~ End Caps Product # 30145354	Bag

TECHNICAL SPECIFICATIONS

Product #	30145350
Mounting	Recessed
Luminaire	Rigid Linear
Location	Inside Cabinet, Under Cabinet, Closet, Furniture
Application	Kitchen, Bedroom, Office, Commercial, Closet
Lighting	Ambience, Accent, Task, Functional
Length	8 ft
Height	7/16 in*
Material	Plastic, Aluminum
Function	Aluminum Profile
Lighting Type	LED
Style	Contemporary, Functional
Width	15/16 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- 8 ft aluminum profile with opal lens - Recessed depth: 5/8 in (15.88 mm) - Overall width: 1 1/16 in (26.65 mm) - Height: 15/32 in (11.5 mm) - Interior width dimension: 15/32 in (11.6 mm) - Includes the opal lens cover

APPLICATION

- Kitchens - Displays - Hotel accent lighting - Under shelf - Cove lighting

INCLUDED PRODUCT(S)

8' aluminum profile with included opal lens creates the no dot effect and gives a uniform look to the added lighting with no hot spots Opal lens was specifically chosen to offer a nice level of light to light up cabinets without the dot effect. The denser the lens, the less light that passes through. For example, a clear lens will offer 96.5% translucency with only 20% diffusion (clear meaning the lens is clean and the tape light is visible); the opal lens offers 65% translucency with 100% diffusion Opal lens efficacy is 50% of the originally emitted light source.

DISCLAIMER

LED tape light sold separately. You have many options to choose from. Please visit the lighting section at www.richelieu.com You will need to purchase an additional switch for your tape light to function; depending on which tape light you use, there are different options available. Please visit the lighting section at Richelieu.com for suggestions. If you require any other lengths, please contact your special orders desk. As tape light widths and connectors can vary, please be sure that you have chosen the correct tape to fit your profile to achieve the right look for your design. There is an acceptable industry size variance. Our variance tolerance for the width is 0.009" tolerance and for the height 0.008" for this specific model. Other models may vary

PRODUCT PHOTOS

