



Recessed Angled Cabinet Profile

Product # 30145450

DESCRIPTION

Made in North America

This profile is a compact recessed LED lighting profile for cabinetry and other wood furnishing.

It projects and directs the light beam at a 25° angle, which allows you to light the cabinet contents from the edge.

Aluminum profile solutions are in great demand as they allows our customers the ability to customize their designs for their customers like never before.

ADVANTAGES AND BENEFITS

LED tape light sold separately. You have many options to choose from. Please visit the lighting section at Richelieu.com Opal lens was specifically chosen to offer a nice level of light to light up cabinets without the dot effect. Clearly, the denser the lens, the less light that can pass through. For example, a clear lens will offer 96.5% translucency with only 20% diffusion (clear meaning the lens is clean and the tape light is visible) the opal lens offers 65% translucency with 100% diffusion Opal lens efficacy is 50% of the originally emitted light source . Designed to meet North American woodworking standards. Snap-in lens feature. Included opal lens creates the no dot effect. Customized lighting for your customers in minutes! Angled profile allows for perfect illumination of cabinet interiors exactly where it is needed. Included opal lens was specifically developed to create a ghost effect lighting; soft and clean with no dot effect.

REQUIRED PRODUCTS

Requires the following products

Sales unit

Profile Accessories ~ End Caps Product # 30145452 Bag of 2 units





TECHNICAL SPECIFICATIONS

Product # 30145450 Mounting Recessed Luminaire Rigid Linear
· ·
.uminaire Rigid Linear
Location Under Cabinet, Closet, Furniture
Application Kitchen, Office, Commercial, Furniture, Closet
Lighting Ambience, Accent, Task, Functional
Length 8 ft
Height 17/32 in*
Finish Aluminum
Shape Angle
Material Aluminum
Standards and Certifications cULus, cETLus
Function Opal lens
Price Point Elite
LED LED
nformation 2.43 m (8') profile with opal lens
2.43 III (6) profile with oparities
Style Contemporary, Functional

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

IMPORTANT INFORMATION

25° angled light beam Recessed into 5/8" panel Recessed installation inside a 3/4-inch (19 mm) wide and 1/2-inch (13 mm) deep recess.

APPLICATION

Interior cabinet, recessed

DISCLAIMER

LED tape light sold separately. You have many options to choose from. Please visit the lighting section at www.richelieu.com You will need to purchase an additional switch for your tape light to function; depending on which tape light you use, there are different options available. Please visit the lighting section at Richelieu.com for suggestions. As tape light widths and connectors can vary, please be sure that you have chosen the correct tape to fit your profile to achieve the right look for your design. There is an acceptable industry size variance. Our variance tolerance for the width its 0.009" tolerance and for the height 0.008" for this specific model. Other models may vary



PRODUCT PHOTOS







