

APEX - Recessed Profile

Product # 305531183000

Length 9 ft 10 in*

Packaging format Length of 3 linear meter

DESCRIPTION

For LED recessed installation

Designed for recessed installation in a blind groove or through a milled groove that is 9 mm wide and 11 mm deep.

ADVANTAGES AND BENEFITS

- Slim design - Its length can be adapted to your needs, with a minimum of 11 13/16 in (300 mm) and a maximum of 78 3/4 in (2 m) - Lens provide uniform light without the dot effect - Integrates LED tape light for a custom lighting look and design

REQUIRED PRODUCTS

Requires the following products



HE6 PW - FlexyLED 24 V

AND



FlexyLED HE6 TW Tunable White 24 V Tape

TECHNICAL SPECIFICATIONS

Product #	305531183000
Mounting	Recessed
Luminaire	Rigid Linear
Location	Inside Cabinet, Under Cabinet, Drawer, Closet, Furniture
Application	Kitchen, Office, Commercial, Furniture, Closet
Lighting	Ambience, Accent, Task, Functional
Height	13/32 in*
Finish	White
Standards and Certifications	cULus
Lighting Type	LED
Group	LED Group A
Style	Contemporary, Functional
Width	11/32 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

Cabinets, bookcases, display cases, decorative lighting, and sideboards

IMPORTANT INFORMATION

- LED tape light sold separately (see Suggested Products) - End caps sold separately

INCLUDED PRODUCT(S)

- 78 3/4 in (2 m) polycarbonate Apex LED profile

DISCLAIMER

- LED tape light sold separately (Flexyled HE6 PW: 166124XX-166122XX) - End caps sold separately - Indoor use only - The protrusion of the groove can be reduced to only 0.4 mm

PRODUCT PHOTOS

