



Miss Recessed Profile

Product # 4124079010

Finish Aluminum

Packaging format Length

DESCRIPTION

Slim aluminum profile for recessed LED installation

- Designed for recessed installation in a blind or through milled groove which is 12 mm wide and 13 mm deep.

ADVANTAGES AND BENEFITS

- Slim profile. - APEX lens, without dot effect. - Customize your lengths as needed; profiles can be cut easily with a miter saw. - Its length can be adapted to your needs, with a minimum of 11 13/16" (300 mm) and a maximum of 78 3/4" (2 m)

REQUIRED PRODUCTS

Requires the following products

Sales unit



HE6 PW - FlexyLED 24 V

AND



Miss End Caps Set

AND

Miss End Caps Set
Product # 4124010

Box of 2



TECHNICAL SPECIFICATIONS

Product #	4124079010
Mounting	Recessed
Luminaire	Rigid Linear
Location	Inside Cabinet, Under Cabinet, Closet, Furniture, Other
Application	Kitchen, Office, Commercial, Furniture, Closet
Length	78 3/4 in*
Height	1/2 in*
Material	Aluminum
Standards and Certifications	cULus
Function	Aluminum Profile
Lighting Type	LED
Group	LED Group A
Style	Contemporary, Functional
Width	15/32 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

INCLUDED PRODUCT(S)

- 78 3/4" (2 m) Miss LED profile - 78 3/4" (2 m) polycarbonate Apex LED profile

APPLICATION

- Cabinets - Bookcases - Display cases - Decorative lighting

IMPORTANT INFORMATION

- Giuseppe Bavuso design - Ends caps sold separately.

DISCLAIMER

- LED tape light sold separately: only compatible with Flexyled HE6 PW. (see Suggested Products) - Ends caps sold separately.

PRODUCT PHOTOS

