



Single Carrier System for Cabinet and Wardrobe ROLL 25/45

Product # 453191

DESCRIPTION

Quick and easy assembly with no machining required

The Roll system has been designed for furniture and wardrobe door openings integrating several parallel sliding panels to give various access points within the same application.

- Slides on bottom track.

- Model 25 bearing fitted with a self-lubricating low-friction axle; model 45 fitted with ball bearings.

- Minimal space between door and frame.
- Quick and easy assembly; no prior machining is required.
- Guide tracks in silver-toned anodized aluminum.

ADVANTAGES AND BENEFITS

System tested up to 100,000 cycles as per standard EN1527. - Minimalist design with a tiny gap of 4 mm between the door and frame. - Practical system designed for daily use. - Configuration with overlaid profile. - Lower profile to optimize the sliding action of the doors. - Aluminum profile. - Door is fixed using an adjustable height system. - Ball bearing system. - Installation with an upper and lower profile.



Requires ONE of the following products

in*

Single Aluminum Track Product # 253180

Overall Length: 78 3/4 in*

OR



Single Aluminum Track Product # 253181 Overall Length: 9 ft 10 Length of 3 linear meter

Sales unit

Length of 2 linear meter

(



TECHNICAL SPECIFICATIONS

Due duet #	452404
Product #	453191
Door Material	Wood
Load Capacity	55.1 to 99.2 lb*
Door Position	Inset/Inlay
Door Thickness	Min. 3/4 in*
Roller Type	Ball Bearing
Roller Position	Lower
Brand	Klein
Overall Length	78 3/4 to 118 in*
Drilling	5/16 in*
Drilling Depth	13/32 in*
Manufacturing Material	Aluminum
Finish	Mill Finish
Soft-Closing	No
Displayed in These Showrooms	Montreal
Number of Doors	1

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

APPLICATION

Specialized mechanism for sliding wardrobe and cabinet doors.

IMPORTANT INFORMATION

- Pictures provided for visual reference only: actual product may vary. - All required hardware should be ordered and obtained prior to initiating fabrication or installation work. Please verify that the parts and quantities listed in your order are correct before proceeding to checkout. - Always use instructions provided by the manufacturer, as included with the product. Manufacturer reserves the right to amend, modify, or otherwise supplement any previously issued product and/or technical information, as deemed required from time to time, without prior notice. - The documentation, drawings, and instructions on this page apply to the system described on this page only. Richelieu expressly declines all responsibility for any design or construction that combines this system with systems from this same manufacturer or systems from other manufacturers. - Installation of the product shall be executed by qualified individuals only, always ensuring that each product is securely installed using proper fixation methods, as appropriate for each applicable substratum. We trust that anyone installing these products has the required skills, knowledge, and experience. Richelieu expressly disclaims any liabilities for results obtained through improper use or installation. - Always remove debris/dust/residues (sawdust and/or aluminum) from all tracks and guide channels using a dry cloth during installation and before operating the system. - Never spray lubricant.



DISCLAIMER

By accessing or referring to this document, or by using any of Richelieu's websites, you accept all applicable terms as they apply from time to time. This legal disclaimer is in no way limited or altered by any other terms or conditions. Richelieu may change said terms at its discretion and without prior notice. A version of the most current terms will always be available on Richelieu's website. The preceding information and technical documentation, information, or recommendations issued by Richelieu verbally or in writing is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for use or application are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for particular purpose, non-infringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark, and designs. Any trademarks identified herein are trademarks of the Richelieu group of companies. Richelieu assumes no risk and shall not be subject to any liability for damages or loss resulting from the specific use or application made of the product. Richelieu's liability for any claim, whether based on breach of contract, negligence, or infringement of any rights of any party relating to the product shall not exceed the price paid for said products. In no event shall Richelieu be liable for any special, incidental, or consequential damages (including loss of use, loss of profit, and claims of third parties) however caused, whether by the negligence of Richelieu or otherwise. Products returned for warranty purposes shall be subject to Richelieu's then applicable Return Policy.

PRODUCT PHOTOS

