

TANDEM plus 563H Full Extension Concealed Undermount Slide with Blumotion for Face Frame Cabinet

Product # 563H4570B

Length 18 in*

DESCRIPTION

New This product provides four-dimensional adjustment:

- Side-to-side, 1.5 mm (front and rear)
- Height, 3 mm
- Tilt, 5 mm
- Depth, with optional locking device, 3/32 in (2.5 mm)
- Depth, with elongated holes, plus or minus 11/16 in (4.5 mm)

Maximum drawer thickness of 5/8 in (16 mm)

ADVANTAGES AND BENEFITS

- Integrated BLUMOTION soft-close. - Wide range of drawer lengths from 9" to 30", in 3" increments. - Bottom mount holes for mounting to a fixed shelf or a flush bottom cabinet. - Available for standard and heavy-duty applications. - Excellent stability and less sag even when drawer is fully loaded. - Bearing block for consistent reveal even in fully loaded drawer. - Rear notch increases to 35 mm to accomodate new side-to-side adjustment. - Same drawer box construction as the current TANDEM runners. - Same drilling pattern as current 562/568 TANDEM plus BLUMOTION concealed runners.



REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit

2	Product # T51180102	DEM Slides, Standard Mount	
Contraction of the second	Adjustment Direction: 2 Directions	Adjustment: Height Adjustment Material: Zinc / Synthetic	
	Locking Devices for TAN Product # T51190102	DEM Slides, Standard Mount	
- AN	Adjustment Direction: 4 Directions	Adjustment: Height and Lateral Adjustment Material: Steel / Synthetic	
	Locking Devices for TAN Product # T511901PS02	DEM Slides, Standard Mount	
	Adjustment Direction: 6 Directions	Adjustment: Height, Depth and Lateral Adjustment Material: Steel / Synthetic	
uires ON	IE of the following products	·	
uires ON	IE of the following products	·	Sales uni
uires ON		DEM Slides, Standard Mount	Sales uni
uires ON	Locking Devices for TAN		Sales uni
uires ON	Locking Devices for TAN Product # T51180103 Adjustment Direction: 2	DEM Slides, Standard Mount Adjustment: Height Adjustment Material: Zinc /	Sales uni
uires ON	Locking Devices for TAN Product # T51180103 Adjustment Direction: 2 Directions	DEM Slides, Standard Mount Adjustment: Height Adjustment Material: Zinc / Synthetic	Sales uni
uires ON	Locking Devices for TAN Product # T51180103 Adjustment Direction: 2 Directions Locking Devices for TAN	DEM Slides, Standard Mount Adjustment: Height Adjustment Material: Zinc / Synthetic OR DEM Slides, Standard Mount Adjustment: Height and Lateral Adjustment Material: Steel /	Sales uni
uires ON	Locking Devices for TAN Product # T51180103 Adjustment Direction: 2 Directions Locking Devices for TAN Product # T51190103 Adjustment Direction: 4	DEM Slides, Standard Mount Adjustment: Height Adjustment Material: Zinc / Synthetic OR DEM Slides, Standard Mount Adjustment: Height and Lateral Adjustment	Sales uni
uires ON	Locking Devices for TAN Product # T51180103 Adjustment Direction: 2 Directions Locking Devices for TAN Product # T51190103 Adjustment Direction: 4 Directions	DEM Slides, Standard Mount Adjustment: Height Adjustment Material: Zinc / Synthetic DEM Slides, Standard Mount Adjustment: Height and Lateral Adjustment Material: Steel / Synthetic	Sales uni



TECHNICAL SPECIFICATIONS

Product #	563H4570B
Brand	Blum
Drawer Type	Wood and Melamine
Slide Extension	Full Extension
Motion Technology	Soft-Close
Product Line	TANDEM Plus
Load Capacity	100 lb
Slide Mounted	Bottom-Mounted
BLUM Technology	Blumotion

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.



PRODUCT PHOTOS





