



## Double-Ended Dowel

Product # 5857

### DESCRIPTION

Double-ended dowel without circlip for increased tolerance.

## REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit



### Ø15 mm Cam "Cam2000"

Product # 5644

Drive Type: Pozi Panel Thickness: 5/8 in\*

Drilling Depth: 1/2 in\*

Quantities per case available: 2000 units

OR



### Ø15 mm Cam "Cam2000"

Product # 5654

Drive Type: Hexagonal (Hex) Panel Thickness: 5/8 in\*

Drilling Depth: 1/2 in\*

Quantities per case available: 2000 units

OR



### Ø15 mm Cam "Cam2000"

Product # 5656

Drive Type: Multiple Panel Thickness: 3/4 in\*

Drilling Depth: 9/16 in\*

Quantities per case available: 2000 units

OR



### Ø15 mm Cam "Cam2000"

Product # 5676

Drive Type: Multiple Panel Thickness: 31/32 in\*

Drilling Depth: 23/32 in\*

Quantities per case available: 500 units

---

## TECHNICAL SPECIFICATIONS

|                               |             |
|-------------------------------|-------------|
| Product #                     | 5857        |
| Titus System Number           | System 5    |
| Panel Thickness               | 5/8 in*     |
| Product Length                | 2 17/32 in* |
| Quantities per case available | 1000 units  |
| Finish                        | Zinc        |
| Material                      | Steel       |

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## PRODUCT PHOTOS

