



BUTTERFLY - Table Mechanism

Product # 651043430

DESCRIPTION

Transform your coffee table into a dining table for 6 people!

The "Butterfly" mechanism is the smart solution for transforming a small everyday table into a large dining table that seats 6 people comfortably.

Table top: 25 mm (63/64") thick material.

Table top dimension:

Coffee table: two choices: 80 cm x 80 cm (31 1/2" x 31 1/2") or 90 cm x 90 cm (35 7/16" x 35 7/16")

Converts into a dining table: two choices: 1.6 m x 80 cm (5 ft 2 in x 31 1/2 in) or 1.8 m x 90 cm (5 ft 10 in x 35 7/16 in)

The mechanism opens up by pulling up the upper cover and putting it down on the smaller cover that automatically comes out from inside the box.

Hardware included.

ADVANTAGES AND BENEFITS

This table has two functions: coffee table or dining table.

REQUIRED PRODUCTS

Requires the following products

Sales unit



Concealed Steel Hinge - Model #208

Product # 429208145

TECHNICAL SPECIFICATIONS

Product #	651043430
Finish	Black (90)
Load Capacity	132 lb*
Material	Steel
Length	26 1/8 in*
Width	5 29/32 in*
Opening Mechanism	Spring
Expansion Capability	19 7/8 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

The perfect two-in-one: - Coffee table: dimensions: 80 cm x 80 cm (31-1/2" x 31-1/2") or 90 cm x 90 cm (35-7/16" x 35-7/16") - Dining table: dimensions: 160 cm x 80 cm (63" x 31-1/2") or 180 cm x 90 cm (70-3/4" x 35-7/16")

INCLUDED PRODUCT(S)

Included in the box: 1- Right mechanism 1- Left mechanism 2- Springs 24- Screws 24- Pegs 2- Spring Tension Pins

IMPORTANT INFORMATION

The mechanism has a main side and a secondary side, where the unfolded half of the table top rests. The table top intended for this construction is made in 25 mm thick material. If a thinner material is used, two spacers of the difference have to be used on the lower side of the mechanism. Use the insertable nuts and the screws supplied with the mechanism to ensure a strong connection between the mechanism and the table construction itself. For the articulation of the table top, use 3 concealed hinges #429208145. To facilitate the lifting of the superior top half, use edge inserted handles. Don't load more than 60 kg onto the table, when open in the high unfolded position.

PRODUCT PHOTOS

