



# 3" Magnetic Door Stop

Product # 67ANR

Color/Finish Antique Nickel

Packaging format Blister

#### **DESCRIPTION**

# Protects walls from swing of door and keeps door open

This magnetic door stop is used to protect your walls from the swing of the door thanks to its powerful magnets. In addition to preventing damage to walls and doors, this magnetic door stop also allows the door to remain open. Easy to install, and available in a variety of stylish finishes.

#### **ADVANTAGES AND BENEFITS**

Easy to install. Magnetism allows the door to remain open, with 5 lb of holding force. Prevents wall and door damages.



## **TECHNICAL SPECIFICATIONS**

| Product #       | 67ANR                 |
|-----------------|-----------------------|
| Туре            | Magnetic              |
| Screw/Nail      | Wood Screw (Included) |
| Base Diameter   | 1 3/4 in*             |
| Tip Diameter    | 1 1/4 in*             |
| Base Height     | 3 in*                 |
| Holding Force   | 5 lb                  |
| Screw           | Included              |
| Height          | 3 in*                 |
| Width           | 3 in*                 |
| Length          | 3 in                  |
| Projection      | 3 in                  |
| Material        | Metal                 |
| Brand           | Onward                |
| Weight Capacity | 0 lb                  |
| Function        | Door Stop             |
| Usage           | Hinge Door            |
| Collection      | Door Hardware         |

#### **Disclaimer**

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

## **APPLICATION**

Installation: 1. Mark screw locations on wall and door. 2. Drill 3/32" pilot holes in wall and door. 3. Fasten doorstop as indicated. Use: To protect walls from door swinging and to keep door open.

# **INCLUDED PRODUCT(S)**

Door stop with #6 x 3/4" wood screw.

## **PRODUCT PHOTOS**















