

CLIP top BLUMOTION Hinge for Thick Doors

Product # 71B958180

Door Position Full Overlay

Fixing Type Dowel

DESCRIPTION

Integrated BLUMOTION

Precise movement, like clockwork. Integrated BLUMOTION is a technical masterpiece that fits into the smallest of spaces and provides your furniture doors with silent, effortless closing.

CLIP top BLUMOTION is designed to open and close at least 200,000 times, with a compelling quality of motion, to last the lifetime of the furniture.

ADVANTAGES AND BENEFITS

- Innovative technology concentrated into the smallest space, with BLUMOTION integrated into the hinge cup.
- Silent, effortless closing action provides every door with inspiringly perfect motion.
- Effortless closing even for small doors; BLUMOTION can optionally be deactivated.
- Elegant design for a high-quality look, with compelling technology in a stylish body.



REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit



BLUM Mounting Plate

Product # 173L810180

Fixing Type: Pre-mounted Euro
Screw

OR



BLUM Mounting Plate

Product # 174E610180

Fixing Type: Expanding
Dowel

OR



BLUM Mounting Plates with Adjusting Cam

Product # 174H710180

OR



Mounting Plate with Horizontal Cam

Product # 177H310E180

TECHNICAL SPECIFICATIONS

Product #	71B958180
Use Type	Thick Door
Cabinet Type	Frameless
Finish	Nickel
Cabinet Thickness	Min. 5/8 in*
Door Thickness	5/8 to 1 1/4 in*
Hinge Type	CLIP top BLUMOTION
Milling Depth	1/2 in*
Milling Diameter	1 3/8 in*
Hinge Opening Angle	+95°
Closing Mechanism	Spring Closing

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- Do not use a hammer to insert the hinge into the drill hole. - CLIP top BLUMOTION hinges should be operated within the temperature range of 18 °C and 28 °C to ensure optimal functioning. *** For a greater selection of mounting plates, see the Blum mounting plates section***

PRODUCT PHOTOS

