



## **Soft-Close System CLIPO 16**

Product # 893332072

## **DESCRIPTION**

Self close

The Soft-Close System for Clipo 16 series for wood and glass doors. Minimum door width of 24 in (608 mm) for two soft-close mechanisms.

# REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit



Hardware Kit CLIPO 16 H IS

Product # 893220071

Bag



**CLIPO 16 H FS Hardware Set** 

Product # 1890533299071

Bag

Requires ONE of the following products

Sales unit



System Hardware Set. Clipo 16 GPK IS

Product # 1893264071

Bag



OR)



System Hardware Set. Clipo 16 GPPK IS

Product # 1893265071

Bag



#### **TECHNICAL SPECIFICATIONS**

Product #	893332072
Soft-Close Type	One-Way Operation
Finish	Gray
Load Capacity	17.6 to 35.3 lb*
Manufacturing Material	Plastic
Product type	Soft-Close
Compatible with	Hawa Clipo 16
Brand	Hawa

#### **Disclaimer**

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

#### **APPLICATION**

16 H IS 16 H MS 16 H FS 16 HM IS 16 GPK 16 GPPK

## **INCLUDED PRODUCT(S)**

- 2 Cross recessed pan head screw 2,2x8 mm - 2 Trigger with stopper - 2 Damper

#### IMPORTANT INFORMATION

Pictures provided for visual reference only: actual product may vary. All required hardware should be ordered and obtained prior before to initiating fabrication or installation work. Please verify that the parts and quantity listed in your order are correct before proceeding to checkout. Always use instructions provided by the manufacturer, as included with the product. Manufacturer reserves the right to amend, modify or otherwise supplement any previously issued product and/or technical information, as deemed required from time to time, without prior notice. The documentation, drawings and instructions on this page apply to the system described on this page only. Richelieu expressly declines all responsibility for any design or construction that combines this system with systems from this same manufacturer or systems from other manufacturers. Installation of the Product shall be executed by qualified individuals only, always ensuring that each product is securely installed using proper fixation methods, as appropriate for each applicable substratum. We trust that anyone installing these products has the required skills, knowledge and experience. Richelieu expressively disclaims any liabilities for results obtained through improper use or installation. Always remove debris / dust / residues (sawdust and / or aluminum) from the rails using a dry cloth before installing carriages bearing. Never spray lubricant.

### **DISCLAIMER**

By accessing or referring to this document, or by using any of Richelieu's Website, you accept all applicable terms as they apply from time to time. This legal disclaimer is in no way limited or altered by any other terms or conditions. Richelieu may change said terms at its discretion and without prior notice. A version of the most current terms will always be available on Richelieu's Website. The preceding information and technical documentation, information or recommendation issued by Richelieu verbally or in writing is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for particular purpose, non-infringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and designs. Any trademarks identified herein are trademarks of the Richelieu group of companies. Richelieu assumes no risk and shall not be subject to any liability for damages or loss resulting from the specific use or application made of the product. Richelieu's liability for any claim, whether based on breach of contract, negligence, infringement of any rights of any party relating to the product shall not exceed the price paid for said products. In no event shall Richelieu be liable for any special, incidental, or consequential damages (including loss of use, loss of profit, and claims of third parties) however caused, whether by the negligence of Richelieu or otherwise. Products returned for warranty purposes shall be subject to Richelieu's then applicable Return Policy.



# PRODUCT PHOTOS





