



Spring-loaded Square Pull

Product # 89IN16404170

DESCRIPTION

With spring covers

TECHNICAL SPECIFICATIONS

Product #	89IN16404170
Door Type	Wood
Usage	Pocket Door, Sliding Door
Color/Finish	Stainless Steel
Door Thickness	1 3/8 in
Thickness	3/4 in*
Fixing Technique	Flush
Center to Center Drilling (Spacing)	1 11/16 in*
Milling Size	50 x 50 mm
Milling Depth	21/32 in*
Milling Radius Angle	R 7,5
Plate Style	Square
Interior Dimensions	30 x 30
Height	2 3/8 in*
Width	2 3/8 in*
Projection	3/32 in*
Material	Stainless Steel 304

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

Photos are provided for visual reference only. Actual product may vary. All the materials required must be ordered and received before starting the job. Please check all the parts and the quantities mentioned on your order before paying. Always follow the manufacturer's instructions when they are provided with the product. The manufacturer reserves the right to modify any existing product and/or technical information, when necessary, without notice. The documentation, technical drawings and instructions for installation only refer to the system described on this page. Richelieu categorically refuses any responsibility for any design or construction which combines systems from the same and/or different manufacturers. The product must be installed only by qualified people who will always ensure that each product is properly installed using appropriate fixing methods for each infrastructure. We are confident that anyone working with our products has the skills, knowledge and experience necessary. Richelieu categorically declines any responsibility for the results of improper use or installation.

INCLUDED PRODUCT(S)

Screws

DISCLAIMER

By accessing or referring to this document or using any information from the Richelieu website, you accept all the applicable terms. This legal warning is not limited or altered by other terms and conditions. Richelieu can change the said terms at its discretion without notice. The most recent conditions will always be available on Richelieu's website. Written or verbal information and technical recommendations, or based on trials, are provided to the best of Richelieu's knowledge in good faith. However, this does not come with a guarantee of its accuracy or exhaustiveness. Suggestions for use and application are purely advisory. Users remain responsible for determining the suitability of these products for their particular use. No warranty, explicit or implicit, guarantee of commercial quality, suitability for particular use, non-infringement of a third-party patent or other intellectual property rights, including but not limited to, copyright, registered trademark and design. All registered trademarks identified in this document are the Richelieu group's brand names. Richelieu assumes no responsibility for the risk, damage or loss resulting from a particular use or application of the product. Richelieu's indemnity for any claim made, whether it is for breach of contract, negligence or infringement of the rights of another party with regard to the product must not exceed the price paid for the said product. Under no circumstance can Richelieu be held responsible for special damages, indirect or consecutive (including the loss of pleasure, profit and third-party claims) whatever the cause, whether it is by Richelieu's negligence or otherwise. Returned products under warranty are subject to Richelieu's return policy in force at the time.

PRODUCT PHOTOS

