



## 18-Gauge Brad Nailer - 1850

**Product #** 9145P1850

### DESCRIPTION

The Grex 1850 satisfies the general finishing needs of any workshop by offering a large fastener range and a narrow extended nose to reach tight areas for detailed work. Although compact and lightweight in design, this tool offers more than enough power to drive long fasteners into hardwoods. The simplicity of the GREX 1850 is designed to impress the user with how comfortable and balanced the tool feels in the hand. Because this is considered an industrial strength tool, it not only has to feel good, but must be easy to load and fire fast with a bottom trigger safety. The internal safety incorporated in the nose allows the tool to be used to place fasteners in tight areas.

- Extended narrow nose provides access to hard-to-reach areas.
- Lightweight die-cast body prevents arm fatigue during prolonged use.
- Quick-release nose cover provides easy access to clear jams.
- Ergonomic comfort hand grip permits a firm grip.
- 360°-adjustable exhaust cover permits use in any position.
- High fastener capacity reduces reloading frequency.
- Convenient side loading allows quick fastener reloading.
- Fastener indicator lets you know when it's time to reload.
- Durable driver and piston O-ring assembly to suit your needs.
- Contact safety mechanism prevents accidental firing.

### ADVANTAGES AND BENEFITS

- Dimensions: 9" L x 8.1" H x 2" W (23 cm x 21 cm x 5 cm) - Weight: 2.4 lb. (1.1 kg) - Operating pressure: 70-100 psi (4.8-7 bars) - Fastener type: 18-gauge brad nails - Fastener range: 5/8" to 2" (15 mm to 50 mm) - Fastener capacity: 1 strip (approx. 100 brads) - Air inlet: 1/4" (6 mm) NPT male plug

### REQUIRED PRODUCTS

Requires the following products

#### RELIABLE Stainless Steel Nails - 18 Gauge



## TECHNICAL SPECIFICATIONS

<b>Product #</b>	9145P1850
<b>Gauge</b>	18
<b>Fastener Type</b>	18-Gauge Brad Nail
<b>Fastening Capacity</b>	100 Pins
<b>Brand</b>	Grex
<b>Features</b>	Directional exhaust systems
<b>Firing Method</b>	Contact
<b>Mobility</b>	Pneumatic Nailer
<b>Type of Tool</b>	Pneumatic
<b>Operating Pressure</b>	70-100 psi (4.8-7 bars)
<b>Fastener Range</b>	5/8" to 2" (15 mm to 50 mm)
<b>Air Inlet</b>	1/4" (6 mm) NPT Male Plug
<b>Weight</b>	2.4 lb
<b>Length</b>	9 in
<b>Height</b>	8.1 in
<b>Width</b>	2 in

## APPLICATION

- Cabinet assembly - Furniture finish work - Light wood assembly - Trims - Paneling - External softwood trim - Trim and moldings - Window beading - Scribe molding - Door and window casings - Rattan - Picture frame assembly - Decorations

## INCLUDED PRODUCT(S)

- Carrying case - Oil bottle - Goggles - Allen key - Air coupler

## PRODUCT PHOTOS

