



Uniset G Drawer System

Product # A65155030

Height 3 11/32 in*

Length 21 5/8 in*

Configuration Standard Panels

DESCRIPTION

Thanks to its silent and durable slides with up to a 25 kg load capacity, this non-toxic, high-density epoxy powder drawer system guarantees smooth operation. This system offers a quick assembly and the slides can be combined with an optional self-closing mechanism.

ADVANTAGES AND BENEFITS

* Smooth functioning thanks to new generation of wheel design and epoxy finish * Long self-closing feature for secure and controlled close * Small extraction loss due to compact build * Straight inner wall for space optimisation * Easy drawer removal for cleaning * Excellent load tolerance with 25kg standard capacity * Add-on SlowMotion Zeta Anyway damping with stop-close SlowMotionFR technology

REQUIRED PRODUCTS

Requires ONE of the following products

Sales unit



Brackets for Uniset G

Product # 68502G

Installation Type: Screw-on

OR



Brackets for Uniset G

Product # 68512G

Installation Type: Dowel

TECHNICAL SPECIFICATIONS

Product #	A65155030
Load Capacity	55.1 lb*
Slide Extension	Partial Extension
Bearing Type	Nylon Slides
Slide Mounted	Side Mounted
Application	General Storage
Screw/Nail	Not Included
Brand	FGV
Installation Type	Screw-on
Drawer Panels	Single
Material	Metal
Product Line	Uniset
Drawer Use	Standard
Cabinet Model	Frameless
Partial Extension	3/4
Finish	White

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

INCLUDED PRODUCT(S)

- 2 drawer sides - 2 slides

IMPORTANT INFORMATION

- Front brackets not included (see required products) - Screws not included - Bottom-mounting - H53 height requires smaller front brackets which are included with each side

APPLICATION

Uniset drawers are used from entry level kitchens to medium level applications. And thanks to excellent build quality in a dedicated plant, are up to the highest quality standards.

PRODUCT PHOTOS



