



Handrail Bracket with Adjustable Height and Inclination

Product # HR18473038170

DESCRIPTION

Adjustable Height

Bracket for narrow handrail suitable for round tubes of various diameters

ADVANTAGES AND BENEFITS

Fixed bracket to support a round handrail in a continuous line. The adjustable height allows a better adjustment of the handrail. The bracket is installed directly on the round baluster post.

TECHNICAL SPECIFICATIONS

Product #	HR18473038170
Type of Mounting	Post Mount
Handrail Type	Round Tubing
Recommended Location Usage	Interior
Adjustment	Adjustable Height
Finish	Stainless Steel
Height	1 3/16 to 3 5/32 in*
Projection	3 5/32 in*
Material	Stainless Steel 304
Handrail Size	ø 38.1 mm (1 1/2")
Baluster Post Size	ø 38.1 mm (1 1/2")
Glass Drilling	Not Required
Category	Brackets
Baluster Post Type	Round Tube

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

Ideal for architectural projects such as staircases with a round handrail. For installation of a steel handrail, use HR94051151614 screws.

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixtures on the support material. Never exceed the maximum load or size recommended by the manufacturer. The design of this product meets industry standards and safety code requirements. Always consult a licensed engineer prior to assembly to ensure that the installation meets the requirements of local building codes. Never use a spray lubricant on this product.

DISCLAIMER

The preceding information, as well as any technical recommendation given in writing or verbally, whether based on tests or not, is provided to the best of our knowledge. Recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products, as well as the execution of projects based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

