



## Round Baluster Post Mount Low Profile Handrail Bracket with Adjustable Articulation

**Product #** HR18673138170

### DESCRIPTION

#### Short stem and adjustable height

Bracket for low profile round handrail, with adjustable height and angle. The 38 mm (1.5") standoff distance between the surface and the bracket is ideal for applications requiring a tighter clearance.

### ADVANTAGES AND BENEFITS

Articulated bracket to adjust the angle of the handrail. The adjustable height allows a better adjustment of the handrail. The bracket is installed directly on the round baluster post.

### TECHNICAL SPECIFICATIONS

<b>Product #</b>	HR18673138170
<b>Type of Mounting</b>	Post Mount
<b>Handrail Type</b>	Round Tubing
<b>Recommended Location Usage</b>	Interior, Exterior
<b>Adjustment</b>	Adjustable Angle, Adjustable Height
<b>Finish</b>	Stainless Steel
<b>Height</b>	1 9/16 to 3 5/32 in*
<b>Projection</b>	3 5/32 in*
<b>Material</b>	Stainless Steel 316
<b>Handrail Size</b>	ø 38.1 mm (1 1/2")
<b>Baluster Post Size</b>	ø 38.1 mm (1 1/2")
<b>Glass Drilling</b>	Not Required
<b>Category</b>	Brackets
<b>Baluster Post Type</b>	Round Tube

#### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

### APPLICATION

Ideal for architectural projects such as staircases or baluster railings with a round handrail. For installation of a steel handrail, use HR94051151614 screws.

---

## IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Installation must always be done by qualified personnel.

## DISCLAIMER

The preceding information, as well as any technical recommendation given in writing or verbally, whether based on tests or not, is provided to the best of our knowledge. Recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products, as well as the execution of projects based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

**PRODUCT PHOTOS**

