



## 180° Glass Connector, with Square Ends

**Product #** HRGCS6536180170

### DESCRIPTION

**Fixed straight connector for glass mounting**

Fixed bracket to connect two glass panels in a straight line.

### ADVANTAGES AND BENEFITS

Increases glass stability when used with the safety lock pin. Provides a clear and open view free of visual obstructions. Suitable for various glass types and thicknesses.

### TECHNICAL SPECIFICATIONS

<b>Product #</b>	HRGCS6536180170
<b>Type of Mounting</b>	Glass Mount
<b>Safety Glass Thickness</b>	15/32 in*
<b>Finish</b>	Stainless Steel
<b>Height</b>	1 25/32 in*
<b>Width</b>	1 3/16 in*
<b>Length</b>	3 3/4 in*
<b>Material</b>	Stainless Steel 316
<b>Glass Drilling</b>	Not Required
<b>Recommended Location Usage</b>	Interior, Exterior
<b>Category</b>	Glass Connectors
<b>Milling Diameter</b>	13/32 in*

#### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

### APPLICATION

Fits perfectly with glass railing projects such as staircases and balusters.

### INCLUDED PRODUCT(S)

Stainless steel safety lock pins Gaskets for 12 mm glass Screw caps

---

## IMPORTANT INFORMATION

For safety purposes, use tempered glass. Glass drilling is required when using the safety lock pin. This illustration is provided for visual reference only. Actual product may vary. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Installation must always be done by qualified personnel.

## DISCLAIMER

The preceding information, as well as any technical recommendation given in writing or verbally, whether based on tests or not, is provided to the best of our knowledge. Recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products, as well as the execution of projects based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

## PRODUCT PHOTOS

