



TRESCO LED EquiLine Tape 12 V 3 W per Foot

Product # LTPELED65HER

Light Color Daylight

Kelvin Color Temperature (K) 6500 K

DESCRIPTION

Sold by the roll (16.4' roll)

3 W EquiLine Tape LED is easy to mount with peel-and-stick backing and features a low profile for use in commercial and home projects. With the ability to cut to size every 1" (25 mm), this flexible tape is the economical, highly customizable solution to your lighting needs.

ADVANTAGES AND BENEFITS

- Easy-to-use connectors (no soldering!) - Average rated life: 25,000 hours (when adhered to a metal substrate) - Dimmable

REQUIRED PRODUCTS

Requires ONE of the following products



Commercial Grade Power Supply

OR



TRESCO 12 V Dimmable LED Hardwire Power Supply

OR



TRESCO 12 V LED Plug-In Power Supply

OR



TRESCO EquiLine 12 V LED Plug-In Power Supply

Requires ONE of the following products



TRESCO Starter Lead

OR



Starter Cord

TECHNICAL SPECIFICATIONS

Product #	LTPELED65HER
Location	Inside Cabinet, Closet, Other
Application	Kitchen, Office, Commercial
Mounting	Surface
Luminaire	Flexible Linear
Lighting	Accent
Finish	Unfinished
Standards and Certifications	UL
Length	16 ft 4 in
Height	3/32 in*
Lighting Type	LED
Tension (V)	12 V
Watts	49.2 W

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

Store fixtures Edge lighting Back lighting Accent lighting Cove lighting Toe kick Soffit

INCLUDED PRODUCT(S)

Standard 200MP 3MTM adhesive backing

IMPORTANT INFORMATION

- Sold by the roll (16.4' roll) - 20' (6 m) max per 60W power supply - 16.4' (5 m) max continuous run - Positive and negative contacts on Tape LED and FlexConnects should match-up to maintain proper polarity.

DISCLAIMER

Product information subject to change without notice .

PRODUCT PHOTOS

