



Deadbolt Door Cabinet Lock 7/8" or 1-3/8"

Product # OL507810110B

Cylinder Length 7/8 in

Key Type Keyed Alike #4T37526

Panel Thickness 0.00394 to 0.875 in*

Finish Oil-Rubbed Bronze

Series 500

Standards and Certifications E07121 / ANSI/BHMA Grade 1

DESCRIPTION

Cabinet locks for Olympus 100DR (door) with easily rekeyable cabinet locks such as manufactured by Olympus Lock, Inc. All locks include working cylinder slides and forwardly removable cylinders for rekeying without totally disassembling lock body. Furnish two keys per lock and bar or slotted strikes as required. Spacers to be provided as required for flush fit with outside face of casework material. Locks are capable of being keyed alike, keyed different and/or master keyed per supplied schedule.

ADVANTAGES AND BENEFITS

- Removable key in locked or unlocked position - Easily re-keyable via set screw cylinder release mechanism

REQUIRED PRODUCTS

Requires the following products

Sales unit



Trim Ring

Product # OLTR125626D

TECHNICAL SPECIFICATIONS

Product #	OL507810110B
Cylinder Diameter	7/8 in
Application	Cabinet Doors
Cylinder Type	Solid Brass, Pin Tumbler
Position	Left & Right
Brand	Olympus Lock Inc.
Types of Locks	Deadbolt Locks
Body Material	Zinc Die-Cast
Mechanism Type	Pin
Key Turn Degree	90°
Furniture Material	Wood
Cylinder Material	Brass
Security Level	Very High
Use	Cabinet Doors

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

Cabinet door lock

INCLUDED PRODUCT(S)

- 2 keys - 56-1 bar strike - Lock mounting screws

IMPORTANT INFORMATION

- Easily re-keyable via set screw cylinder release mechanism - Standard function: locks are non-handed with key removable in the locked and unlocked position - Keys, components, and materials are nonferrous and non-magnetic - Locks meet BHMA/ANSI Grade 1 performance requirements * For all other requests relating to Olympus Lock locks, such as available finishes, special key, and more, come and discover our complete range via the 100K program. * The lock has to be screwed into the panel.

PRODUCT PHOTOS

