

ORION -Puck Light with One or Three CCT

Product # P0011242000010

Finish Aluminum

Kelvin Color Temperature (K) 4000 K

Luminous Efficiency 60 lm/W

DESCRIPTION

The most versatile puck light in the market, slim profile, magnetic finish plate, superior aluminum heatsink and Quick-connect on the body of the puck light for quick installation. This puck family allows you to choose a single lighting color output (3000 or 4000 K) or the selectable puck light that allow the choice of warm white (3000 K) , neutral white (4000 K) or cool white (5000k) all in one product.

ADVANTAGES AND BENEFITS

- Quick-connect on the body of the drawer light - Selectable switch to allow the choice of warm white (3000 K) , neutral white (4000 K) or cool white (5000k) all in one product
- Lighting with superior color rendering index (90 CRI) - 78 3/4 in (2 m) power cable with a Micro24 connector - Over 50,000 hours of service life - Superior LED performance and lifespan - Minimal heat emission - Aluminum Heat sink construction - Frosted glass lens Smooth 360 degree wide spread

REQUIRED PRODUCTS

Requires the following products



Input cable for Orion and Pollux

AND



24 V Extension Cable

Requires ONE of the following products



Dimmable Power Supply 24 V Hardwire

OR



X-DRIVER Webkit

OR



Non-Dimmable Power Supply 24 V

OR



Webkit BTRF 24V

TECHNICAL SPECIFICATIONS

Product #	P0011242000010
Location	Under Cabinet, Furniture
Application	Kitchen, Bathroom, Furniture, Closet
Standards and Certifications	ETL
CRI (Color Rendering Index)	90
Lighting Type	LED
Watts	2.7 W
Luminous Flux	170 Lumen

APPLICATION

- Versatile and ideal for different types of applications such as commercial display lighting, recessed ceiling lighting, ambient lighting, kitchen and furniture recessing, etc. - Quick and easy installation with Micro 24 quick connect technology - Dimmable - Available in black, white, chrome and aluminum

PRODUCT PHOTOS



