

## ORION HP - Puck light with one or three CCT

**Product #** PK2404300185

**Finish** Satin Nickel

### DESCRIPTION

The most versatile puck light in the market, slim profile, magnetic finish plate, superior aluminum heatsink and Quick-connect on the body of the puck light for quick installation. This puck family allows you the choice of warm white (3000 K) , neutral white (4000 K) or cool white (5000k ) all in one product.

### ADVANTAGES AND BENEFITS

- Quick-connect on the body of the drawer light - Selectable switch to allow the choice of warm white (3000 K) , neutral white (4000 K) or cool white (5000k ) all in one product
- Lighting with superior color rendering index (90 CRI) - 78 3/4 in (2 m) power cable with a Micro24 connector - Over 50,000 hours of service life - Superior LED performance and lifespan - Minimal heat emission - Aluminum Heat sink construction - Frosted glass lens Smooth 360 degree wide spread



## REQUIRED PRODUCTS

Requires the following products



**24 V Extension Cable**

Requires ONE of the following products



**Dimmable Power Supply 24 V Hardwire**

OR



**X-DRIVER Webkit**

OR



**Non-Dimmable Power Supply 24 V**

OR



**Webkit BTRF 24V**

## TECHNICAL SPECIFICATIONS

Product #	PK2404300185
Location	Inside Cabinet, Under Cabinet, Closet, Furniture, Other
Application	Kitchen, Living Room, Bedroom, Office, Furniture, Closet
Mounting	Recessed
Luminaire	Fixed Spots
Compatibility	Micro 24
Lighting	Accent, Task
Light Color	Color Changing
Kelvin Color Temperature (K)	3000 K, 4000 K, 5000 K
Standards and Certifications	cETLus
CRI (Color Rendering Index)	90
Recessed Depth	15/32 in*
Bore Hole	2 19/32 in*
Tension (V)	24 V
Watts	4 W
Connection Type	Micro 24
Luminous Flux	200 Lumen

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## INCLUDED PRODUCT(S)

- 1 LED puck with integrated switch to change to one or three different CCT (3000,4000 or 5000K) - 1 Magnetic finish plate (black, white or satin nickel) - 1 78 3/4 in (2m) power cable with a Micro24 connector 6 in (304 mm)

## IMPORTANT INFORMATION

- Drilling diameter of 2 5/8" (66mm) - Micro 24 quick connection technology (male/female) - Integrated transformer is dimmable with most low voltage dimmers (recommended) - Dimming range: 10% to 100%

## APPLICATION

- Versatile and ideal for different types of applications such as commercial display lighting, recessed ceiling lighting, ambient lighting, kitchen and furniture recessing, etc. - Quick and easy installation with Micro 24 quick connect technology - Dimmable - Available in black, white and satin nickel

## DISCLAIMER

Richelieu offers a five-year warranty that covers repair or replacement of defective parts of the housing, optics, and electronics. To contact Richelieu's customer service, call 1 800 361-6000.

## PRODUCT PHOTOS



**Change CCT avec l'interrupteur mécanique**  
(3000K/4000K/5000K)



## CHANGE CCT BY MECHANICAL SWITCH (3000K/4000K/5000K)

