

2" Diameter Solid Metal Standoff Base - Threaded: 3/8"- 16

Product # SB200050170

Height 1/2 in

Finish Stainless Steel

DESCRIPTION

Gaskets not included.

Ideal for signage, displays, railing, presentation and desk tops. Sold individually (cap shown, but sold separately). Available in several sizes with thread count 3/8" - 16 . Stocked in standard finishes and lengths. Suggested hole size in glass - 7/8" for adjustment.



REQUIRED PRODUCTS

Requires ONE of the following products



Hanger bolt

OR



Stainless Steel Hanger Bolt

Requires ONE of the following products



2" Diameter Standoff Cap

OR



UV Standoff Adaptor Plate

OR



Beveled 2" Diameter Standoff Cap

TECHNICAL SPECIFICATIONS

Product #	SB200050170
Material	Stainless Steel: 316
Threaded	3/8" - 16
Milling Diameter	7/8 in
Diameter	2 in

IMPORTANT INFORMATION

For safety purposes, use tempered glass. Always set the product in a suitable material. This illustration is provided for visual reference only. Actual product may differ from the illustration. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnell. Always make sure that the product is properly installed using suitable fixings to the support material.

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

