



Comfort II Pull-Out Frame - 23 5/8 in (600 mm) Height

Product # WEBKIT1214731

Product Dimensions - Width 12 5/8 in*

Interior Dimensions Required - Width Min. 14 in*

Opening Right Side

Finish Thick Chrome

Installation Left Side

DESCRIPTION

Multi-purpose frame for pull-out baskets system for base cabinets.

ADVANTAGES AND BENEFITS

- Thin frame with improved and concealed slides, and integrated soft-close mechanism - A metal tray hooks on the frame for spice storage - Can be used with chrome metal wire, Arena baskets, or wine bottle rack - Easy mounting with the ClickFixx system - 3D adjustment for front fixing brackets - Height adjustable baskets and trays - Door fixing brackets included - The gray color of the frame matches all types of cabinet interiors - Optimal view and better access

INCLUDED IN THIS WEBKIT

Sales unit



Standard Basket in Thick Wire Product # 5143140



Comfort II Frame Product # 607570100



TECHNICAL SPECIFICATIONS

Product #	WEBKIT1214731
Product Dimensions - Depth	18 5/8 in*
Product Dimensions - Height	23 3/4 in*
Interior Dimensions Required - Depth	Min. 19 1/2 in*
Interior Dimensions Required - Height	Min. 24 5/8 in*
Material	Metal
Soft-Stop Mechanism	Yes

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

APPLICATION

Kitchen base cabinet.

INCLUDED PRODUCT(S)

Frame, slides, and door brackets

IMPORTANT INFORMATION

The internal minimum width required depends on the baskets and accessories selected. Refer to product datasheet for more information. Baskets, wine bottle rack, and spice tray are sold separately. The indicated number of baskets required is based on the usage of baskets only. The height can vary according to the height of stored products. If you use wine bottle racks and/or spice trays (see Suggested Products), you must remove the number of baskets according to the number of racks you use. The door width must not exceed 16 in (400 mm).



PRODUCT PHOTOS

