



SEH4 - FlexyLED 24V DC Tape

Light Color

Neutral White

Warm White

Kelvin Color Temperature (K)

3100 K

4200 K

LED Strip Length

39 3/8 in*

59 in*

78 3/4 in*

98 3/8 in*

9 ft 10 in*

Watts

9.6 W

14.4 W

19.2 W

24 W

28.8 W

DESCRIPTION

LED module with double power cable

- Silicone profile for recessed side emitting installations
- The FlexyLED SE H4 profile is designed for lateral lighting and can be installed directly in the wood, in a groove measuring 4 mm wide and 8 mm deep
- 24 V dc flexible linear LED strip developed with a new extrusion technology for diffusing silicone materials

ADVANTAGES AND BENEFITS

- Extremely flexible - Can be installed in straight, curved, or circular groove or in any configuration
- Double power cable - Micro 24 connector - Can be divided every 1 5/16 in (33 mm) - 180 LED/m LED module - Does not require glue

AVAILABLE PRODUCTS

Product #	Light Color	Kelvin Color Temperature (K)	LED Strip Length	Watts
13002410124040	Neutral White	4200 K	39 3/8 in*	9.6 W
13002414124059	Neutral White	4200 K	59 in*	14.4 W
13002419124079	Neutral White	4200 K	78 3/4 in*	19.2 W
13002424124098	Neutral White	4200 K	98 3/8 in*	24 W
13002429124118	Neutral White	4200 K	9 ft 10 in*	28.8 W
13002410122040	Warm White	3100 K	39 3/8 in*	9.6 W
13002414122059	Warm White	3100 K	59 in*	14.4 W
13002419122079	Warm White	3100 K	78 3/4 in*	19.2 W
13002424122098	Warm White	3100 K	98 3/8 in*	24 W
13002429122118	Warm White	3100 K	9 ft 10 in*	28.8 W

TECHNICAL SPECIFICATIONS

Location	Inside Cabinet, Furniture, Countertop
Application	Kitchen, Bathroom, Commercial, Furniture, Closet
Mounting	Recessed
Luminaire	Flexible Linear
Compatibility	Micro 24
Lighting	Accent, Functional
Standards and Certifications	CE
CRI (Color Rendering Index)	90
Luminous Efficiency	75 lm/W
Material	Silicone
Power Cable Length	78 3/4 in*
Width	5/32 in*
Recessed Depth	5/16 in*
IP	IP44
Lighting Type	LED
Tension (V)	24 V
Group	LED Group A
Power Cable	Double
Watts/Foot	2.92 W
Connection Type	Micro 24
Features	Dimmable, Bluetooth
Length of second power cable	78 3/4 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

INCLUDED PRODUCT(S)

- 78 3/4 in (2000 mm) micro 24 cable included

APPLICATION

- Countertops - Cabinets - Bookcases - Display cases - Decorative lighting - Wardrobes - Cupboards - Closets

PRODUCT PHOTOS

