



# Swivel Rolling Ladder Hardware set with brake wheels

## Finish



## DESCRIPTION

### Telescopic upper rollers

Swivel Rolling Ladder Hardware set with brake wheels for a seven-step ladder.

- Features:
- Hardware only
  - Upper swivel double rollers secure the ladder to travel around curved track
  - Upper rollers telescopic so that the ladder may be stored vertically against the cabinet or wall
  - Bottom Brake wheels automatically stop when a person stands on the ladder
  - Horizontal support rods for under the steps to stabilize the wood ladder
  - For wood ladders 16 in wide X 96 in long, sold separately
  - Weight capacity of 300 lb (136 kg)
  - Available in two finishes black and painted satin nickel
  - Tracks, brackets, and other accessories are sold separately

## ADVANTAGES AND BENEFITS

\* Upper swivel double rollers for the ladder to travel around curved track \* Upper rollers telescopic so that the ladder may be stored vertically against the cabinet or wall \* Bottom Brake wheels automatically stop when a person stands on the ladder \* horizontal support rods for under steps to stabilize the wood ladder

## AVAILABLE PRODUCTS

Product #	Finish
88QG71090	Black
88QG710185	Satin Finish Nickel

## TECHNICAL SPECIFICATIONS

Door Movement	Straight Sliding
Ladder Width	16 in*
Ladder Hook-On Height	88 1/4 to 89 1/4 in*
Upper Roller Type	Swivel Roller
Bottom Wheel Type	Brake Wheels
Load Capacity	300 lb
Application	Library
Overall Length	96 in
Manufacturing Material	Aluminum
Brand	Quiet Glide

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## INCLUDED PRODUCT(S)

\* 2 swivel upper rollers \* 2 bottom brake wheels \* 7-step support rods with fasteners \* Screws to mount hardware Ladder not included. The wood parts that make up the ladder are NOT INCLUDED in this kit.

## IMPORTANT INFORMATION

Note: - Picture for visual reference only: actual product may vary from that shown in the photo. - Be sure to order hardware before beginning fabrication or installation work. Please verify that the parts and quantity on your purchase order match before checking out. - Always use the instructions provided by the manufacturer when included with the product. The manufacturer reserves the right to change any previously issued product or technical information as deemed necessary without notice. - Documentation, technical drawings, and installation instructions refer only to the system described on this page. Richelieu expressly disclaims all responsibility for any design or construction that combines systems from the same or different manufacturers. - The installation of the product must be performed by qualified personnel only, who will always ensure that each product is securely installed using the appropriate fastening methods for each infrastructure. We are confident that anyone working with our products has the required skills, knowledge, and experience. Richelieu expressly disclaims all responsibility for results obtained from the use or improper installation. - Always remove debris, dust, or residue (sawdust or aluminum) from all rails and guides with a dry cloth before installing the rolling mechanism. - Never spray lubricant on this product.

## DISCLAIMER

By accessing or referring to this document, or by using any of Richelieu's websites, you accept all applicable terms as they apply from time to time. This legal disclaimer is in no way limited or altered by any other terms or conditions. Richelieu may change said terms at its discretion and without prior notice. A version of the most current terms will always be available on Richelieu's website. The preceding information and technical documentation, information, or recommendations issued by Richelieu verbally or in writing is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for use or application are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for particular purpose, non-infringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark, and designs. Any trademarks identified herein are trademarks of the Richelieu group of companies. Richelieu assumes no risk and shall not be subject to any liability for damages or loss resulting from the specific use or application made of the product. Richelieu's liability for any claim, whether based on breach of contract, negligence, or infringement of any rights of any party relating to the product shall not exceed the price paid for said products. In no event shall Richelieu be liable for any special, incidental, or consequential damages (including loss of use, loss of profit, and claims of third parties) however caused, whether by the negligence of Richelieu or otherwise. Products returned for warranty purposes shall be subject to Richelieu's then applicable Return Policy.

**PRODUCT PHOTOS**

