



2132 - Partial Extension Ball Bearing Slide - 34 kg (75 lb) Capacity

Length

10 in	12 in	14 in	16 in	18 in
20 in	22 in			

Packaging Specifications

Not Applicable	Screws / UPC Code / Carted
----------------	----------------------------

DESCRIPTION

Shallow yet smooth motion hardware. Engineered with a low profile and a lever disconnect, the 2132 model sets a new standard for the ¾-extension slide. Ideal for small, shallow drawers in office desks, bathrooms, and kitchens, this solution keeps supplies and utensils readily available, day in and day out.

Backed by BHMA & AWI certification, the 2132 also boasts a hold-in detent and patented Cam Drawer Adjust for precise vertical adjustment. No matter the frame or fixture, this shallow drawer solution ensures high-performance for long-term, daily use.

AVAILABLE PRODUCTS

Product #	Length	Packaging Specifications
21322G10	10 in	Not Applicable
21322G12	12 in	Not Applicable
T21322G12	12 in	Screws / UPC Code / Carted
21322G14	14 in	Not Applicable
T21322G14	14 in	Screws / UPC Code / Carted
21322G16	16 in	Not Applicable
T21322G16	16 in	Screws / UPC Code / Carted
21322G18	18 in	Not Applicable
T21322G18	18 in	Screws / UPC Code / Carted
21322G20	20 in	Not Applicable
T21322G20	20 in	Screws / UPC Code / Carted
21322G22	22 in	Not Applicable
T21322G22	22 in	Screws / UPC Code / Carted

TECHNICAL SPECIFICATIONS

Load Capacity	75 lb*
Motion Technology	Hold-In
Slide Extension	Partial Extension
Partial Extension	3/4
Slide Mounted	Side Mounted
Bearing Type	Ball Bearing
Material	Metal
Finish	Zinc
Side	Both
Standards and Certifications	BHMA, RoHS, AWI
Additional Information	Lever Disconnect
Brand	Accuride


Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

- Applications: pencil drawers, kitchen drawers and commercial applications - Features: hold-in detent, lever disconnect and cam adjustment; drilling compatible with 3832 and 7432 series slides - Mount: side - Extension: 3/4 - Capacity: 34 kg (75 lbs) per pair - Action: steel ball bearings

PRODUCT PHOTOS



Accuride