



Edgebanding - White Oak

Assembly Type



Type of Cut

Finish

Sanded Varnished

Thickness Type

Thick	Thin
-------	------

Thickness



Width



Backing

Collection



Packaging format



DESCRIPTION

Available in the same wide array of wood species as its flexible veneer sheets, CEDAN's wood edgebanding is finger-jointed and masterfully matched to ensure perfect consistency of color and grain.



AVAILABLE PRODUCTS

Product #	Assembly Type	Type of Cut	Finish	Thickness Type	Thickness	Width	Backing	Collection	Packaging format
JS06QM0DGAS3	Invisible Microjoint	Quarter Cut	Sanded	Thin	0.0236 in*	13/16 in	Pre- Glued	Real Wood	Roll of 250 linear foot
JS06QM078BS2	Invisible Microjoint	Quarter Cut	Sanded	Thin	0.0236 in*	7/8 in	Fleece	Real Wood	Roll of 500 linear foot
JS06QM078AS3	Invisible Microjoint	Quarter Cut	Sanded	Thin	0.0236 in*	7/8 in	Pre- Glued	Real Wood	Roll of 250 linear foot
MS06QS078VSA1	Standard	Quarter Cut	Sanded	Thick	1/16 in*	7/8 in	None	Real Wood	Roll of 492 linear foot
3778500	Standard	Quarter Cut	Sanded	Thin	0.0236 in*	7/8 in	Fleece	Real Wood	Roll of 500 linear foot
JS06QS0FGBS2	Standard	Quarter Cut	Sanded	Thin	0.0236 in*	15/16 in	Fleece	Real Wood	Roll of 500 linear foot
MS36SS0FGWSA3	Standard	Rift Cut	Sanded	Thick	1/8 in*	15/16 in	None	Real Wood	Roll of 328 linear foot
MS06SS078VSA0	Standard	Standard	Sanded	Thick	1/32 in*	7/8 in	None	Real Wood	Roll of 492 linear foot
MS06SS078VSA1	Standard	Standard	Sanded	Thick	1/16 in*	7/8 in	None	Real Wood	Roll of 492 linear foot
MS06SS078WSA3	Standard	Standard	Sanded	Thick	1/8 in*	7/8 in	None	Real Wood	Roll of 328 linear foot
JS06SS0DGAS3	Standard	Standard	Sanded	Thin	0.0236 in*	13/16 in	Pre- Glued	Real Wood	Roll of 250 linear foot
0678500	Standard	Standard	Sanded	Thin	0.0236 in*	7/8 in	Fleece	Real Wood	Roll of 500 linear foot
3678250	Standard	Standard	Sanded	Thin	0.0236 in*	7/8 in	Pre- Glued	Real Wood	Roll of 250 linear foot
JS06SS0FGBS2	Standard	Standard	Sanded	Thin	0.0236 in*	15/16 in	Fleece	StrukArt / Real Wood	Roll of 500 linear foot
JS06SS114BS2	Standard	Standard	Sanded	Thin	0.0236 in*	1 1/4 in	Fleece	Real Wood	Roll of 500 linear foot
06112500	Standard	Standard	Sanded	Thin	0.0236 in*	1 1/2 in	Fleece	Real Wood	Roll of 500 linear foot
JS06SS200BS2	Standard	Standard	Sanded	Thin	0.0236 in*	2 in	Fleece	Real Wood	Roll of 500 linear foot
JS06SS0FGBV2	Standard	Standard	Varnished	Thin	0.0236 in*	15/16 in	Fleece	Real Wood	Roll of 500 linear foot



TECHNICAL SPECIFICATIONS

Wood Species	White Oak	
Direction of the Grain	Horizontal	
Standards and Certifications	LEED, GREENGUARD	
Manufacturer	Cedan	
Grade	Standard	
Material	Wood	

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

DISCLAIMER

Richelieu is not in any way liable for reasonable commercial variations in finish, weight, and color. No condition, warranty or stipulation is made in respect of color stability of plastics due to solar effects from weather or other atmospheric conditions.

PRODUCT PHOTOS

