



Edgebanding - Walnut

Assembly Type

Invisible Microjoint Standard

Type of Cut

Quarter Cut

Standard

Finish

Sanded

Varnished

Thickness Type

Thick

Thin

Thickness

0.0236 in*

1/32 in*

1/16 in*

1/8 in*

Width

5/8 in	3/4 in	13/16 in	7/8 in	15/16 in	
1 in	1 1/8 in	1 1/4 in	1 3/8 in	1 1/2 in	
1 3/4 in	1 7/8 in				

Backing

Fleece

None

Peel & Stick

Pre-Glued

Collection

Real Wood

StrukArt / Real Wood

Packaging format

Roll of 250 linear foot

Roll of 328 linear foot

Roll of 492 linear foot

Roll of 500 linear foot

DESCRIPTION

Available in the same wide array of wood species as its flexible veneer sheets, CEDAN's wood edgebanding is finger-jointed and masterfully matched to ensure perfect consistency of color and grain.



AVAILABLE PRODUCTS

Product #	Assembly Type	Type of Cut	Finish	Thickness Type	Thickness	Width	Backing	Collection	Packaging format
JS16SM0DGAS3	Invisible Microjoint	Standard	Sanded	Thin	0.0236 in*	13/16 in	Pre- Glued	Real Wood	Roll of 250 linear foot
JS16SM078BS2	Invisible Microjoint	Standard	Sanded	Thin	0.0236 in*	7/8 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SM114BS2	Invisible Microjoint	Standard	Sanded	Thin	0.0236 in*	1 1/4 in	Fleece	Real Wood	Roll of 500 linear foot
JS16QS0FGBS2	Standard	Quarter Cut	Sanded	Thin	0.0236 in*	15/16 in	Fleece	Real Wood	Roll of 500 linear foot
JS16QS118BS2	Standard	Quarter Cut	Sanded	Thin	0.0236 in*	1 1/8 in	Fleece	Real Wood	Roll of 500 linear foot
MS16SS078VSA0	Standard	Standard	Sanded	Thick	1/32 in*	7/8 in	None	Real Wood	Roll of 492 linear foot
MS16SS078VSA1	Standard	Standard	Sanded	Thick	1/16 in*	7/8 in	None	Real Wood	Roll of 492 linear foot
MS16SS078WSA3	Standard	Standard	Sanded	Thick	1/8 in*	7/8 in	None	Real Wood	Roll of 328 linear foot
JS16SS058BS2	Standard	Standard	Sanded	Thin	0.0236 in*	5/8 in	Fleece	Real Wood	Roll of 500 linear foot
1634500	Standard	Standard	Sanded	Thin	0.0236 in*	3/4 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SS0DGAS4	Standard	Standard	Sanded	Thin	0.0236 in*	13/16 in	Peel & Stick		Roll of 250 linear foot
161316250	Standard	Standard	Sanded	Thin	0.0236 in*	13/16 in	Pre- Glued	Real Wood	Roll of 250 linear foot
1678500	Standard	Standard	Sanded	Thin	0.0236 in*	7/8 in	Fleece	Real Wood	Roll of 500 linear foot
1678250	Standard	Standard	Sanded	Thin	0.0236 in*	7/8 in	Pre- Glued	Real Wood	Roll of 250 linear foot
161516500	Standard	Standard	Sanded	Thin	0.0236 in*	15/16 in	Fleece	StrukArt / Real Wood	Roll of 500 linear foot
161500	Standard	Standard	Sanded	Thin	0.0236 in*	1 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SS114BS2	Standard	Standard	Sanded	Thin	0.0236 in*	1 1/4 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SS114AS3	Standard	Standard	Sanded	Thin	0.0236 in*	1 1/4 in	Pre- Glued	Real Wood	Roll of 250 linear foot
16138500	Standard	Standard	Sanded	Thin	0.0236 in*	1 3/8 in	Fleece	Real Wood	Roll of 500 linear foot
16112500	Standard	Standard	Sanded	Thin	0.0236 in*	1 1/2 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SS112AS3	Standard	Standard	Sanded	Thin	0.0236 in*	1 1/2 in	Pre- Glued	Real Wood	Roll of 250 linear foot
JS16SS134BS2	Standard	Standard	Sanded	Thin	0.0236 in*	1 3/4 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SS178BS2	Standard	Standard	Sanded	Thin	0.0236 in*	1 7/8 in	Fleece	Real Wood	Roll of 500 linear foot



Product #	Assembly Type	Type of Cut	Finish	Thickness Type	Thickness	Width	Backing	Collection	Packaging format
JS16SS0DGAV4	Standard	Standard	Varnished	Thin	0.0236 in*	13/16 in	Peel & Stick		Roll of 250 linear foot
JS16SS078BV2	Standard	Standard	Varnished	Thin	0.0236 in*	7/8 in	Fleece	Real Wood	Roll of 500 linear foot
JS16SS0FGBV2	Standard	Standard	Varnished	Thin	0.0236 in*	15/16 in	Fleece	Real Wood	Roll of 500 linear foot

TECHNICAL SPECIFICATIONS

Wood Species	Walnut			
Direction of the Grain	Horizontal			
Standards and Certifications	LEED, GREENGUARD			
Manufacturer	Cedan			
Grade	Standard			
Material	Wood			

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

DISCLAIMER

Richelieu is not in any way liable for reasonable commercial variations in finish, weight, and color. No condition, warranty or stipulation is made in respect of color stability of plastics due to solar effects from weather or other atmospheric conditions.

PRODUCT PHOTOS



