

3" Rigid Door Stop

Color/Finish



Antique Brass



Antique Nickel



Black



Brass


Brushed
Nickel


Chrome


Oil-Rubbed
Bronze


Satin Chrome



White

Packaging format

Blister of 2
units

Bag of 2 units

DESCRIPTION

Protects walls from swing of door.

Minimalist and sleek, this rigid door stop is a polished door stop option. With a rubber tip, your doors and walls will be protected from the swing of a door. Easy to install.

ADVANTAGES AND BENEFITS

Easy to install with attached mounting screw. Prevent wall and door damages.

AVAILABLE PRODUCTS

Product #	Color/Finish	Packaging format
216ABR	Antique Brass	Blister of 2 units
216ANR	Antique Nickel	Blister of 2 units
216ANV	Antique Nickel	Bag of 2 units
216FBR	Black	Blister of 2 units
216FBV	Black	Bag of 2 units
216BR	Brass	Blister of 2 units
216BV	Brass	Bag of 2 units
216NBR	Brushed Nickel	Blister of 2 units
216NBV	Brushed Nickel	Bag of 2 units
216CV	Chrome	Bag of 2 units
216ORBR	Oil-Rubbed Bronze	Blister of 2 units
216ORBV	Oil-Rubbed Bronze	Bag of 2 units
216SCR	Satin Chrome	Blister of 2 units
216SCV	Satin Chrome	Bag of 2 units
216WR	White	Blister of 2 units
216WV	White	Bag of 2 units

TECHNICAL SPECIFICATIONS

Screw/Nail	Wood Screw (Included)
Base Diameter	31/32 in*
Tip Diameter	21/32 in*
Tip colour	White
Projection	3 in
Material	Metal
Collection	Door Stops

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

INCLUDED PRODUCT(S)

Door stop with #6 x 5/8" wood thread attachment.

APPLICATION

This rigid door stop is a simple and aesthetic way to protect your walls and doors thanks to its rubber tip.

PRODUCT PHOTOS

