



3-1/2 in Heavy Duty Coat Hook - 235

Finish





















Material

Metal

Solid Brass

Brand



Packaging format

Blister

Bag

Bag of 5 units

DESCRIPTION

Mounting hardware included

This heavy-duty coat hook features a stylish finish that will accent any space. Characterized by its functional shape and round ends, the dual arm design doubles your storage potential and makes for a great space-saving solution. Its durable and strong design means it can hold all the necessary accessories. Ideal for bedrooms, bathrooms, entryways, mudrooms, closets, and anywhere else hooks are required. Can be installed on walls or doors.

ADVANTAGES AND BENEFITS

Characterized by its functional shape, this hook will surely help save space in your home.



AVAILABLE PRODUCTS

Product #	Finish	Material	Brand	Packaging format
235ABV	Antique Brass	Metal		Bag
235ANV	Antique Nickel	Metal		Bag
235FBV	Black	Metal		Bag
NH23590	Black	Metal	Nystrom	Bag
235BV	Brass	Metal		Bag
235BS	Brass	Metal		Bag of 5 units
235SBV	Brass	Solid Brass		Bag
235ACBV	Brushed Antique Copper	Metal		Bag
235BCV	Brushed Chrome	Metal		Bag
235NBR	Brushed Nickel	Metal		Blister
235NBV	Brushed Nickel	Metal		Bag
235NBS	Brushed Nickel	Metal		Bag of 5 units
235CR	Chrome	Metal		Blister
235CV	Chrome	Metal		Bag
235CS	Chrome	Metal		Bag of 5 units
235ORBV	Oil-Rubbed Bronze	Metal		Bag
235WR	White	Metal		Blister
235WV	White	Metal		Bag

TECHNICAL SPECIFICATIONS

Hook Style	Utility
Load Capacity	22 lb*
Hook Type	Simple - Two Arms
Center to Center	5/8 in*
Width - Overall Dimensions	25/32 in*
Screw/Nail	Included
Hook Model	Double Hook
Height - Overall Dimensions	3 3/8 in*
Projection - Overall Dimensions	2 5/16 in*

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, <u>click here</u>.

INCLUDED PRODUCT(S)

Mounting hardware included.



APPLICATION

A heavy-duty hook for hanging coats, hats, etc. For maximum loading capacity, hooks should be mounted directly to wall studs, generally found at 16" intervals. If hooks are not mounted to studs, use appropriate drywall anchors (not included with hooks). Hooks come with plastic anchors that may not adhere to all types of walls. The installer is responsible for ensuring that appropriate anchors are used

DISCLAIMER

Although our oil-rubbed bronze finish is achieved through a rigorous process, it may show signs of normal usage faster than other finishes.

PRODUCT PHOTOS



