



K Line Metal Shelf Pin

Drilling Diameter

1/8 in*

3/16 in*

Load Capacity per Shelf

143 lb*

176 lb*

Finish

Black Nickel

Zinc

Projection - Overall Dimensions

1/2 in*

17/32 in*

Height - Overall Dimensions

15/32 in*

9/16 in*

Length - Overall Dimensions

13/16 in*

7/8 in*

Packaging format

Per unit

Bag of 12
units

Bag of 100
units

DESCRIPTION

Essential and functional design solution that meets the most common needs in terms of shelving brackets.

ADVANTAGES AND BENEFITS

- Gives your cabinet a clean, up-to-date look. - Model with blocking pin prevents shelf from moving when moving the cabinet. - Slightly wider model offers more stability. - Available in bulk (1000 supports) or in packs of 100 (CP).

AVAILABLE PRODUCTS

Product #	Drilling Diameter	Load Capacity per Shelf	Finish	Projection - Overall Dimensions	Height - Overall Dimensions	Length - Overall Dimensions	Packaging format
BP1272G	1/8 in*	143 lb*	Zinc	17/32 in*	9/16 in*	7/8 in*	Bag of 12 units
CP1272G	1/8 in*	143 lb*	Zinc	17/32 in*	9/16 in*	7/8 in*	Bag of 100 units
CP12891	3/16 in*	176 lb*	Black Nickel	1/2 in*	15/32 in*	7/8 in*	Bag of 100 units
1282G	3/16 in*	176 lb*	Zinc	1/2 in*	15/32 in*	13/16 in*	Per unit
CP1282G	3/16 in*	176 lb*	Zinc	1/2 in*	15/32 in*	13/16 in*	Bag of 100 units

TECHNICAL SPECIFICATIONS

Appearance	Visible
Shelf Thickness	Min. 5/8 in*
Material	Metal
Width - Overall Dimensions	1/4 in*
Standards and Certifications	RoHS

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

IMPORTANT INFORMATION

Using 4 pins: Formula to calculate the load capacity for shelves of several sizes: 0.65 Kg/dm²

PRODUCT PHOTOS

