



Light Color

Cool White Neutral White

Kelvin Color Temperature (K)

4000 K 6000 K

Watts

2.22 W 2.27 W

Luminous Flux

170 Lumen 180 Lumen

DESCRIPTION

Flexible installation and dimmable

- The LED flexible tape light offers easy installation for all your lighting needs.
- Flexible mounting creates straight lines and allows for installation in and around curves and angles.
- Sold in 12" increments that can be cut in half.
- 30 cm 4-pin Flexible Strip (5050 SMD, 10 LEDs/30 cm, 24 VDC, IP55).

ADVANTAGES AND BENEFITS

- Lightweight and durable - Virtually invisible - Extremely low-profile - Easy peel-andstick installation - Water-resistant coating IP65 - Dimmable with 4-step touch dimmer #71247030 - 20", 40", 79" connecting cable options available in black or white finish

AVAILABLE PRODUCTS

Product #	Light Color	Kelvin Color Temperature (K)	Watts	Luminous Flux
712121	Cool White	6000 K	2.27 W	180 Lumen
712124	Neutral White	4000 K	2.22 W	170 Lumen



TECHNICAL SPECIFICATIONS

Location	Inside Cabinet, Under Cabinet, Furniture		
Application	Kitchen, Living Room, Furniture, Closet		
Mounting	Surface		
Luminaire	Flexible Linear		
Lighting	Accent, Task		
Finish	White		
Standards and Certifications	UL, ETL		
Length	11 7/8 in		
Width	3/8 in		
Lighting Type	LED		
Tension (V)	24 V		
Price Point	Elite		
Features	Dimmable		

APPLICATION

For use on cabinets, bookcases, display cases, signage, and as decorative lighting.

INCLUDED PRODUCT(S)

Each 12" strip includes: One fixed 4-pin male connector on one end and one 4-pin female connector on the other end, 10 LEDs 5050 SMD spaced 1" apart, and 3M Adhesive Transfer Tape 300MP on the back side (3M #9786, 300MP).

IMPORTANT INFORMATION

Power cord required: choose from lengths of 20", 40", or 79", available in black or white finish. Power supply required; choose one of the following: #2652412: 12W 24V Power Supply, connect up to 4 strips or 4' max of lighting #2651236: 36W 24V Power Supply, connect up to 14 strips or 14' max of lighting #2651260: 60W 24V Power Supply, connect up to 24 strips or 24' max of lighting Each 12" strip has a bin number and date code on the back side of the unit and a bin number on the front side (both located at the 4-pin female side).

DISCLAIMER

Please allow 72 hours for the 3M Adhesive Transfer Tape 300MP to complete adhesion before turning the lights on. Please make sure to position your tape light correctly upon the first application. Once in position, the tape will not peel back and re-adhere without use of additional 3M tape.



PRODUCT PHOTOS





