



TANDEM plus 563H Full Extension Concealed Undermount Slide with Blumotion for Face Frame Cabinet

Length

9 1/32 in*

12 in*

15 in*

18 in*

21 in*

DESCRIPTION

New This product provides four-dimensional adjustment:

- Side-to-side, 1.5 mm (front and rear)
- Height, 3 mm
- Tilt, 5 mm
- Depth, with optional locking device, 3/32 in (2.5 mm)
- Depth, with elongated holes, plus or minus 11/16 in (4.5 mm)

Maximum drawer thickness of 5/8 in (16 mm)

ADVANTAGES AND BENEFITS

- Integrated BLUMOTION soft-close. - Wide range of drawer lengths from 9" to 30", in 3" increments. - Bottom mount holes for mounting to a fixed shelf or a flush bottom cabinet. - Available for standard and heavy-duty applications. - Excellent stability and less sag even when drawer is fully loaded. - Bearing block for consistent reveal even in fully loaded drawer. - Rear notch increases to 35 mm to accommodate new side-to-side adjustment. - Same drawer box construction as the current TANDEM runners. - Same drilling pattern as current 562/568 TANDEM plus BLUMOTION concealed runners.

AVAILABLE PRODUCTS

Product #	Length
563H2290B	9 1/32 in*
563H3050B	12 in*
563H3810B	15 in*
563H4570B	18 in*
563H5330B	21 in*

TECHNICAL SPECIFICATIONS

Brand	Blum
Drawer Type	Wood and Melamine
Slide Extension	Full Extension
Motion Technology	Soft-Close
Product Line	TANDEM Plus
Load Capacity	100 lb
Slide Mounted	Bottom-Mounted
BLUM Technology	Blumotion

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

PRODUCT PHOTOS

