



## Magnetic Front Pull for Pocket Doors

### Color/Finish

Satin Chrome

Satin Nickel

### DESCRIPTION

#### Small magnetic front pull with a secure and silent grip.

With sliding shutters which are completely recessed (for example, into a wall) a handle needs to be positioned at the head of the shutter. Richelieu has created a small magnetic button with a secure and silent grip. The handgrip is machined both on the inside and on the outside to provide greater inner curvature and a better grip for the fingers. The magnetic handle mechanism is composed of different parts that interact with one another and therefore cause greater wear and tear. To maintain the quality of the finish over time, they are applied to handles in the magnetic line by means of a special coating process that makes them extremely resistant to both scratches and UV exposure.

#### POLARISED NEODYMIUM MAGNETS

The magnets used in our flush handles are neodymium magnets with high coercive force, top quality magnets which, unlike others obtained using magnetised iron, never lose their physical properties.

### ADVANTAGES AND BENEFITS

- Solid flush handles with "concealed grip" allow full continuity between the surface of the door and the handle.
- Noiseless rotations and movements - no need for lubricant.
- Neodymium magnet offers greater resistance over time compared to normal magnets.

### AVAILABLE PRODUCTS

Product #	Color/Finish
8959430CFR145	Satin Chrome
89059430EFR185	Satin Nickel

## TECHNICAL SPECIFICATIONS

Door Type	Wood
Usage	Pocket Door
Door Thickness	1 3/8 to 2 9/16 in*
Diameter	1 3/16 in*
Fixing Technique	Flush
Milling Diameter	1 1/32 in*
Milling Depth	3/4 in*
Plate Style	Round
Projection	3/32 in*
Material	Brass

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## IMPORTANT INFORMATION

Note: Picture for visual reference only: actual product may vary from that shown in photo. Be sure to order hardware before beginning fabrication or installation work. Always use the instructions inside the packaging provided by the manufacturer, as the manufacturer reserves the right to make technical changes or modify information without prior notice. All technical drawings and documents contain examples of the assembly of different suppliers' hardware. The customer cannot base any claims on the use of these documents. No responsibility is assumed for design details relating to a particular construction project. At all times, execution and installation must be undertaken by qualified persons. Never exceed the maximum weight or the maximum dimensions recommended by the manufacturer. Always be sure to install the product correctly using the right fasteners for your materials. Never use any spray lubricant on these products.

## DISCLAIMER

The preceding information, as well as any technical recommendations given in writing, verbally or based on tests, is provided to the best of our knowledge. However, they are non-binding recommendations only and do not affect your responsibility to determine the correctness of given recommendations and suitability of the product for your particular purposes. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore fall exclusively in your area of responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

## PRODUCT PHOTOS

