



255L Stikit(TM) Gold Film Abrasive Disc Roll

Grit

120	150	180	220	240
320	80			

Grit Texture

Extra Fine Fine	Medium	Very Fine
-----------------	--------	-----------

Diameter

Packaging format

Roll of 100	Roll of 125	
per unit	per unit	

DESCRIPTION

Stikit(TM) Gold Film Disc Roll 255L provides discs that feature aluminum oxide abrasive grain on a film backing for a fast cut-rate and uniform, close-tolerance finish on wood, paint prep and defect repair applications. Our flexible backing provides a consistent finish and greater tear-resistance than comparable paper products, making it well-suited for a high-production environment.

This disc has pressure sensitive adhesive backing which provides ease of attachment to any orbital sander along with a clean, residue-free removal, while the roll form offers quick access to a disc and eliminates disc liners.

The open coat feature provides a more aggressive cut than a comparable closed coat abrasive of the same grade; its reduced clogging feature makes it a good choice for woodworking.

Resin bonded, reliable under heat and pressure, fast cut rate, hardness and strength, it is widely used in grinding applications in addition to sanding and finishing applications.

Designed for use with a random orbital sander.

ADVANTAGES AND BENEFITS

- Aluminum oxide abrasive offers a fast cut, long life and professional performance on many surfaces - Tear-resistant film backing provides a close-tolerance, consistent finish - Open coat construction and load-resistant coating prevent dust and debris from clogging the disc and offer a more aggressive cut - Stikit(TM) adhesive backing allows for quick application and easy removal - Convenient disc in roll form



AVAILABLE PRODUCTS

Product #	Grit	Grit Texture	Diameter	Packaging format
D50S255L120	120	Fine	5 in	Roll of 125 per unit
D60S255L120	120	Fine	6 in	Roll of 125 per unit
D50S255L150	150	Very Fine	5 in	Roll of 125 per unit
D50S255L180	180	Very Fine	5 in	Roll of 125 per unit
D50S255L220	220	Very Fine	5 in	Roll of 125 per unit
D60S255L220	220	Very Fine	6 in	Roll of 125 per unit
D50S255L240	240	Very Fine	5 in	Roll of 125 per unit
D50S255L320	320	Extra Fine	5 in	Roll of 125 per unit
D50S255L80	80	Medium	5 in	Roll of 100 per unit

TECHNICAL SPECIFICATIONS

Application Surface	Wood
Brand	3M
Performance	Better
Dust Extraction Holes	Without Holes
Abrasive Material	Aluminum Oxide
Backing	Stick-On
Color	Gold, Yellow
Backing Strip Type	Film

PRODUCT PHOTOS





