



LED Date 3.4W 12V dc

Light Color

Neutral White

Warm White

Kelvin Color Temperature (K)

3000 K

4000 K

Luminous Efficiency

120 lm/W

130 lm/W

Luminous Flux

210 Lumen

230 Lumen

DESCRIPTION

Italian Design, Exclusive to Richelieu

DATE is a versatile spotlight for diffused lighting that incorporates the new LED COB (Chip on Board) technology.

For customers looking for a high powered LED European made and designed light without the cluster diode (dots).

ADVANTAGES AND BENEFITS

- Easy quick connect system. - 12V dc system product additions to Group A from the lighting brochure. - Aluminum finish. - Affordable LED Italian made light, exclusive to Richelieu. - Two different trim rings available for surface mounting (sold separately).

AVAILABLE PRODUCTS

Product #	Light Color	Kelvin Color Temperature (K)	Luminous Efficiency	Luminous Flux
152124010	Neutral White	4000 K	130 lm/W	230 Lumen
152122010	Warm White	3000 K	120 lm/W	210 Lumen

TECHNICAL SPECIFICATIONS

Location	Under Cabinet
Application	Kitchen, Living Room, Commercial, Furniture
Mounting	Recessed
Luminaire	Fixed Spots
Compatibility	Micro 12
Lighting	Accent, Task
Finish	Aluminum
Standards and Certifications	cULus
Style	Contemporary
CRI (Color Rendering Index)	80
Recessed Depth	15/32 in*
Bore Hole	2 11/16 in*
IP	IP20
Lighting Type	LED
Tension (V)	12 V
Watts	3 W
Group	LED Group A
Price Point	Optimum
Connection Type	Micro 12
Features	Dimmable

Disclaimer

Measures shown with an asterisk (*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

APPLICATION

- Countertops - Cabinets - Wardrobes - Bookshelves - Shelves - Other pieces of furniture

INCLUDED PRODUCT(S)

Includes convenient quick connect at base of light allows for easy installation or replacement and a 78" cable to connect to power supply (sold separately).

IMPORTANT INFORMATION

- Designed for flush mounting inside a 68 mm hole - Use hole saw with a depth of only 12 mm (see Suggested Products) - Friction fit installation Recessed installation only for surface mounting trim rings sold separately (see Suggested Products).

DISCLAIMER

Product information subject to change without notice. There is no replacement bulb available for this light due to its average lifespan of 50,000 hours. Richelieu grants no warranty on LED lights if a power supply other than the one specifically prescribed for this product is used. Do not exceed the maximum wattage by connecting more lights than prescribed; damage to the power supply may result.

PRODUCT PHOTOS

