



## TRESCO LED EquiLine Tape 12 V 3 W per Foot

### Light Color

Cool White

Daylight

Neutral White

Warm White

### Kelvin Color Temperature (K)

2700 K

3500 K

4800 K

6500 K

### DESCRIPTION

#### Sold by the roll (16.4' roll)

3 W EquiLine Tape LED is easy to mount with peel-and-stick backing and features a low profile for use in commercial and home projects. With the ability to cut to size every 1" (25 mm), this flexible tape is the economical, highly customizable solution to your lighting needs.

### ADVANTAGES AND BENEFITS

- Easy-to-use connectors (no soldering!) - Average rated life: 25,000 hours (when adhered to a metal substrate) - Dimmable

### AVAILABLE PRODUCTS

Product #	Light Color	Kelvin Color Temperature (K)
LTPELED48HER	Cool White	4800 K
LTPELED65HER	Daylight	6500 K
LTPELED35HER	Neutral White	3500 K
LTPELED27HER	Warm White	2700 K

## TECHNICAL SPECIFICATIONS

Location	Inside Cabinet, Closet, Other
Application	Kitchen, Office, Commercial
Mounting	Surface
Luminaire	Flexible Linear
Lighting	Accent
Finish	Unfinished
Standards and Certifications	UL
Length	16 ft 4 in
Height	3/32 in*
Lighting Type	LED
Tension (V)	12 V
Watts	49.2 W

### Disclaimer

Measures shown with an asterisk (\*) have been converted as per your preference. These are not the official measures. To view the measures specified by the manufacturer, [click here](#).

## APPLICATION

Store fixtures Edge lighting Back lighting Accent lighting Cove lighting Toe kick Soffit

## INCLUDED PRODUCT(S)

Standard 200MP 3MTM adhesive backing

## IMPORTANT INFORMATION

- Sold by the roll (16.4' roll) - 20' (6 m) max per 60W power supply - 16.4' (5 m) max continuous run - Positive and negative contacts on Tape LED and FlexConnects should match-up to maintain proper polarity.

## DISCLAIMER

Product information subject to change without notice .

**PRODUCT PHOTOS**

